



**Full credit is given to the above companies including the Operating System (OS) that this PDF file was generated!**

***Rocky Enterprise Linux 9.2 Manual Pages on command 'pam\_faildelay.8'***

**\$ man pam\_faildelay.8**

PAM\_FAILDELAY(8)

Linux-PAM Manual

PAM\_FAILDELAY(8)

## NAME

pam\_faildelay - Change the delay on failure per-application

## SYNOPSIS

pam\_faildelay.so [debug] [delay=microseconds]

## DESCRIPTION

pam\_faildelay is a PAM module that can be used to set the delay on failure per-application.

If no delay is given, pam\_faildelay will use the value of FAIL\_DELAY from /etc/login.defs.

## OPTIONS

debug

Turns on debugging messages sent to syslog.

delay=N

Set the delay on failure to N microseconds.

## MODULE TYPES PROVIDED

Only the auth module type is provided.

## RETURN VALUES

### PAM\_IGNORE

Delay was successful adjusted.

### PAM\_SYSTEM\_ERR

The specified delay was not valid.

## EXAMPLES

The following example will set the delay on failure to 10 seconds:

```
auth optional pam_faildelay.so delay=10000000
```

## SEE ALSO

[pam\\_fail\\_delay\(3\)](#), [pam.conf\(5\)](#), [pam.d\(5\)](#), [pam\(7\)](#)

## AUTHOR

`pam_faildelay` was written by Darren Tucker <[dtucker@zip.com.au](mailto:dtucker@zip.com.au)>.