



**Full credit is given to the above companies including the Operating System (OS) that this PDF file was generated!**

### ***Rocky Enterprise Linux 9.2 Manual Pages on command 'podman-attach.1'***

**\$ man podman-attach.1**

podman-attach(1)()

podman-attach(1)()

#### **NAME**

podman-attach - Attach to a running container

#### **SYNOPSIS**

podman attach [options] container

podman container attach [options] container

#### **DESCRIPTION**

podman attach attaches to a running container using the container's name or ID, to either view its ongoing output or to control it interactively.

The container can be detached from (and leave it running) using a configurable key sequence.

The default sequence is `ctrl-p,ctrl-q`. Configure the key sequence using the `--detach-keys` OPTION, or specifying it in the `containers.conf` file: see `containers.conf(5)` for more information.

#### **OPTIONS**

`--detach-keys=sequence`

Specify the key sequence for detaching a container. Format is a single character [a-Z] or one or more `ctrl-<value>` characters where `<value>` is one of: a-z, @, ^, [, , or \_. Specifying "" will disable this feature.

The default is `ctrl-p,ctrl-q`.

`--latest, -l`

Instead of providing the container ID or name, use the last created container. If other methods than Podman are used to run containers such as CRI-O, the last started container could be from either of those methods.

The default is false.

IMPORTANT: This OPTION is not available with the remote Podman client. This OPTION does not need a container name or ID as input argument.

--no-stdin

Do not attach STDIN. The default is false.

--sig-proxy

Proxy received signals to the process (non-TTY mode only). SIGCHLD, SIGSTOP, and SIGKILL are not proxied.

The default is true.

## EXAMPLES

Attach to a container called "foobar".

```
$ podman attach foobar
```

Attach to the latest created container.

```
$ podman attach --latest
```

Attach to a container that start with the ID "1234".

```
$ podman attach 1234
```

Attach to a container without attaching STDIN.

```
$ podman attach --no-stdin foobar
```

## SEE ALSO

[podman\(1\)](#), [podman-exec\(1\)](#), [podman-run\(1\)](#), [containers.conf\(5\)](#)

[podman-attach\(1\)\(\)](#)