



Full credit is given to the above companies including the Operating System (OS) that this PDF file was generated!

Rocky Enterprise Linux 9.2 Manual Pages on command 'pthread_attr_getschedpolicy.3'

\$ man pthread_attr_getschedpolicy.3

PTHREAD_ATTR_SETSCHEDPOLICY(3) Linux Programmer's Manual PTHREAD_ATTR_SETSCHEDPOLICY(3)

NAME

pthread_attr_setschedpolicy, pthread_attr_getschedpolicy - set/get scheduling policy at?

tribute in thread attributes object

SYNOPSIS

```
#include <pthread.h>

int pthread_attr_setschedpolicy(pthread_attr_t *attr, int policy);
int pthread_attr_getschedpolicy(const pthread_attr_t *attr, int *policy);
```

Compile and link with -pthread.

DESCRIPTION

The pthread_attr_setschedpolicy() function sets the scheduling policy attribute of the thread attributes object referred to by attr to the value specified in policy. This attribute determines the scheduling policy of a thread created using the thread attributes object attr.

The supported values for policy are SCHED_FIFO, SCHED_RR, and SCHED_OTHER, with the semantics described in sched(7).

The pthread_attr_getschedpolicy() returns the scheduling policy attribute of the thread attributes object attr in the buffer pointed to by policy.

In order for the policy setting made by pthread_attr_setschedpolicy() to have effect when calling pthread_create(3), the caller must use pthread_attr_setinheritsched(3) to set the inherit-scheduler attribute of the attributes object attr to PTHREAD_EXPLICIT_SCHED.

RETURN VALUE

On success, these functions return 0; on error, they return a nonzero error number.

ERRORS

`pthread_attr_setschedpolicy()` can fail with the following error:

EINVAL Invalid value in policy.

POSIX.1 also documents an optional ENOTSUP error ("attempt was made to set the attribute to an unsupported value") for `pthread_attr_setschedpolicy()`.

ATTRIBUTES

For an explanation of the terms used in this section, see attributes(7).

?Interface ? Attribute ? Value ?

?pthread_attr_setschedpolicy(), ? Thread safety ? MT-Safe ?

?pthread_attr_getschedpolicy() ? ? ?

CONFORMING TO

POSIX.1-2001, POSIX.1-2008.

EXAMPLES

See `pthread_setschedparam(3)`.

SEE ALSO

`pthread_attr_init(3)`, `pthread_attr_setinheritsched(3)`, `pthread_attr_setschedparam(3)`,

`pthread_create(3)`, `pthread_setschedparam(3)`, `pthread_setschedprio(3)`, `pthread(7)`,

shed(7)

COLOPHON

This page is part of release 5.10 of the Linux man-pages project. A description of the project, information about reporting bugs, and the latest version of this page, can be found at <https://www.kernel.org/doc/man-pages/>.