Rocky Enterprise Linux 9.2 Manual Pages on command 'pwd.1'

$ man pwd.1

PWD(1)   User Commands   PWD(1)

NAME

   pwd - print name of current/working directory

SYNOPSIS

   pwd [OPTION]...

DESCRIPTION

   Print the full filename of the current working directory.

   -L, --logical

       use PWD from environment, even if it contains symlinks

   -P, --physical

       avoid all symlinks

   --help display this help and exit

   --version

       output version information and exit

   If no option is specified, -P is assumed.

   NOTE: your shell may have its own version of pwd, which usually supersedes the version de?

   scribed here. Please refer to your shell's documentation for details about the options it

   supports.

AUTHOR

   Written by Jim Meyering.

REPORTING BUGS

   GNU coreutils online help: <https://www.gnu.org/software/coreutils/>

   Report any translation bugs to <https://translationproject.org/team/>

COPYRIGHT

Copyright ? 2020 Free Software Foundation, Inc. License GPLv3+: GNU GPL version 3 or

later <https://gnu.org/licenses/gpl.html>.

This is free software: you are free to change and redistribute it. There is NO WARRANTY,

to the extent permitted by law.

SEE ALSO

getcwd(3)

Full documentation <https://www.gnu.org/software/coreutils/pwd>

or available locally via: info '(coreutils) pwd invocation'

GNU coreutils 8.32   February 2024   PWD(1)