



Full credit is given to the above companies including the OS that this PDF file was generated!

Linux Ubuntu 22.4.5 Manual Pages on command 'recode-sr-latin.1'

\$ man recode-sr-latin.1

RECODE-SR-LATIN(1)

GNU

RECODE-SR-LATIN(1)

NAME

recode-sr-latin - convert Serbian text from Cyrillic to Latin script

SYNOPSIS

recode-sr-latin [OPTION]

DESCRIPTION

Recode Serbian text from Cyrillic to Latin script. The input text is read from standard input. The converted text is output to standard output.

Informative output:

-h, --help

display this help and exit

-V, --version

output version information and exit

AUTHOR

Written by Danilo Segan and Bruno Haible.

REPORTING BUGS

Report bugs to <bug-gnu-gettext@gnu.org>.

COPYRIGHT

Copyright ? 2006-2007 Free Software Foundation, Inc. License GPLv3+: GNU GPL ver?

Table 1. Summary of the main characteristics of the different methods for the estimation of the NO_x emissions.

WARRANTY to the extent committed to in

SEE ALSO

The full documentation for `recode-sr-latin` is maintained as a Texinfo manual. If the info and `recode-sr-latin` programs are properly installed at your site, the command

`info recode-sr-latin`

should give you access to the complete manual.

GNU gettext-tools 0.19.8.1

June 2016

RECODE-SR-LATIN(1)