



Full credit is given to the above companies including the Operating System (OS) that this PDF file was generated!

Rocky Enterprise Linux 9.2 Manual Pages on command 'rpc_clnt_auth.3t'

\$ man rpc_clnt_auth.3t

RPC_CLNT_AUTH(3) BSD Library Functions Manual RPC_CLNT_AUTH(3)

NAME

auth_destroy, authnone_create, authsys_create, authsys_create_default ? library routines for client side remote procedure call authentication

SYNOPSIS

```
#include <rpc/rpc.h>
```

void

```
auth_destroy(AUTH *auth);
```

AUTH *

```
authnone_create(void);
```

AUTH *

```
authsys_create(const char *host, const uid_t uid, const gid_t gid, const int len,  
               const gid_t *aup_gids);
```

AUTH *

```
authsys_create_default(void);
```

DESCRIPTION

These routines are part of the RPC library that allows C language programs to make procedure calls on other machines across the network, with desired authentication.

These routines are normally called after creating the CLIENT handle. The `cl_auth` field of the CLIENT structure should be initialized by the AUTH structure returned by some of the following routines. The client's authentication information is passed to the server when the RPC call is made.

Only the NULL and the SYS style of authentication is discussed here.

Routines

`auth_destroy()` A function macro that destroys the authentication information associated with `auth`. Destruction usually involves deallocation of private data structures. The use of `auth` is undefined after calling `auth_destroy()`.

`authnone_create()` Create and return an RPC authentication handle that passes nonusable authentication information with each remote procedure call. This is the default authentication used by RPC.

`authsys_create()` Create and return an RPC authentication handle that contains AUTH_SYS authentication information. The `host` argument is the name of the machine on which the information was created; `uid` is the user's user ID; `gid` is the user's current group ID; `len` and `authsys_gids` refer to a counted array of groups to which the user belongs.

`authsys_create_default()` Call `authsys_create()` with the appropriate arguments.

AVAILABILITY

These functions are part of `libtirpc`.

SEE ALSO

rpc(3), rpc_clnt_calls(3), rpc_clnt_create(3)

BSD

May 7, 1993

BSD