



Full credit is given to the above companies including the Operating System (OS) that this PDF file was generated!

Rocky Enterprise Linux 9.2 Manual Pages on command 'rpc_gss_get_principal_name.3t'

\$ man rpc_gss_get_principal_name.3t

RPC_GSS_GET_PRINCIPAL_NAME(3) BSD Library Functions Manual RPC_GSS_GET_PRINCIPAL_NAME(3)

NAME

rpc_gss_get_principal_name ? Get a principal name

SYNOPSIS

```
#include <rpc/rpcsec_gss.h>
```

```
bool_t
```

```
rpc_gss_get_principal_name(rpc_gss_principal_t *principal, const char *mech,  
    const char *name, const char *node, const char *domain);
```

DESCRIPTION

This function can be used to generate a client principal name from various strings.

PARAMETERS

principal If the principal is created successfully, *principal will be set to point at the

new principal in GSS-API exported name form

mech The name of the mechanism for this principal

name The name part of the principal

node If non-null, the hostname or instance part of the principal

domain If non-null, the domain or realm part of the principal

RETURN VALUES

Returns TRUE if the principal was created or FALSE otherwise

AVAILABILITY

The rpc_gss_get_principal_name() function is part of libtirpc.

SEE ALSO

rpc(3), gssapi(3), gss_export_name(3), rpcsec_gss(3)

AUTHORS

This manual page was written by Doug Rabson <dfr@FreeBSD.org>.

BSD

January 26, 2010

BSD