



Full credit is given to the above companies including the Operating System (OS) that this PDF file was generated!

Rocky Enterprise Linux 9.2 Manual Pages on command 'rpc_gss_max_data_length.3t'

\$ man rpc_gss_max_data_length.3t

RPC_GSS_MAX_DATA_LENGTH(3) BSD Library Functions Manual RPC_GSS_MAX_DATA_LENGTH(3)

NAME

rpc_gss_max_data_length ? calculate maximum data size

SYNOPSIS

```
#include <rpc/rpcsec_gss.h>
```

```
int
```

```
rpc_gss_max_data_length(AUTH *auth, int max_tp_unit_len);
```

DESCRIPTION

Calculate the maximum message size that will fit into a packet of size max_tp_unit_len, given the current service and QoP setting.

PARAMETERS

auth A handle to a RPCSEC_GSS security context

max_tp_unit_len Maximum packet size of the underlying transport protocol

RETURN VALUES

The maximum message size that can be encoded

AVAILABILITY

The rpc_gss_max_data_length() function is part of libtirpc.

SEE ALSO

rpc(3), gssapi(3), rpcsec_gss(3)

AUTHORS

This manual page was written by Doug Rabson <dfr@FreeBSD.org>.

BSD

January 26, 2010

BSD