



Full credit is given to the above companies including the Operating System (OS) that this PDF file was generated!

Rocky Enterprise Linux 9.2 Manual Pages on command 'rpc_gss_mech_to_oid.3t'

\$ man rpc_gss_mech_to_oid.3t

RPC_GSS_MECH_TO_OID(3) BSD Library Functions Manual RPC_GSS_MECH_TO_OID(3)

NAME

rpc_gss_mech_to_oid ? Convert a mechanism name to a GSS-API oid

SYNOPSIS

```
#include <rpc/rpcsec_gss.h>
```

```
bool_t
```

```
rpc_gss_mech_to_oid(const char *mech, gss_OID *oid_ret);
```

DESCRIPTION

This function returns the GSS OID associated with the GSS_API mechanism "mech".

PARAMETERS

mech The name of a GSS_API mechanism. "kerberos_v5" is currently the only supported mechanism.

oid_ret Buffer in which to place the returned OID

RETURN VALUES

If the GSS_API mechanism name is recognized, TRUE is returned. The corresponding GSS-API oid is returned in *oid_ret. Otherwise FALSE is returned and *oid_ret is left untouched.

AVAILABILITY

The rpc_gss_mech_to_oid() function is part of libtirpc.

SEE ALSO

rpc(3), gssapi(3), rpcsec_gss(3)

AUTHORS

This manual page was written by Doug Rabson <dfr@FreeBSD.org>.