



**Full credit is given to the above companies including the Operating System (OS) that this PDF file was generated!**

***Rocky Enterprise Linux 9.2 Manual Pages on command 'sane-nec.5'***

**\$ man sane-nec.5**

sane-nec(5)

SANE Scanner Access Now Easy

sane-nec(5)

## NAME

sane-nec - SANE backend for NEC scanners

## DESCRIPTION

The sane-nec library implements a SANE (Scanner Access Now Easy) backend that provides access to NEC SCSI scanners. This backend should be considered alpha-quality software! In the current state it is known to work with PC-IN500/4C scanners. Other MultiReader scanner series are not supported. PC-IN 500/4C and MultiReader scanner are only sold in Japan (except Multi Reader PetiScan).

For other scanners, it may or may not work.

The backend has the following known problems:

- ColorLineart mode is not supported.
- Device name is fixed to /dev/scanner

At present, the following scanners are known to work with this backend.

## FILES

`/etc/sane.d/nec.conf`

The backend configuration file.

`/usr/lib/x86_64-linux-gnu/sane/libsane-nec.a`

The static library implementing this backend.

`/usr/lib/x86_64-linux-gnu/sane/libsane-nec.so`

The shared library implementing this backend (present on systems that support dynamic loading).

## ENVIRONMENT

`SANE_DEBUG_NEC`

If the library was compiled with debug support enabled, this environment variable controls the debug level for this backend. E.g., a value of 128 requests all debug output to be printed. Smaller levels reduce verbosity.

## SEE ALSO

`sane(7)`, `sane-scsi(5)`

## AUTHORS

Kazuya Fukuda