



Full credit is given to the above companies including the Operating System (OS) that this PDF file was generated!

Rocky Enterprise Linux 9.2 Manual Pages on command 'scsi_stop.8'

\$ man scsi_stop.8

SCSI_STOP(8) SG3_UTILS SCSI_STOP(8)

NAME

scsi_stop - stop (spin down) one or more SCSI disks

SYNOPSIS

scsi_stop [--help] [--verbose] [--wait] DEVICE [DEVICE]*

DESCRIPTION

This bash shell script calls the sg_start utility on each given DEVICE. The purpose is to spin down (stop) each given DEVICE.

OPTIONS

Arguments to long options are mandatory for short options as well.

-h, --help

print out the usage message then exit.

-v, --verbose

increase level or verbosity.

-w, --wait

wait for the spin down (stop) on each given DEVICE to complete. The default action is to do each stop in immediate mode.

NOTES

The sg_start utility calls the SCSI START STOP UNIT command and can either start (spin up) or stop (spin down) a SCSI disk depending on the given command line options.

EXIT STATUS

The exit status of this script is 0 when it is successful. Otherwise the exit status is that of the last sg_start utility called. See the sg3_utils(8) man page.

AUTHORS

Written by D. Gilbert

COPYRIGHT

Copyright ? 2009-2013 Douglas Gilbert

This software is distributed under a FreeBSD license. There is NO warranty; not even for

MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

SEE ALSO

[sg_start \(sg3_utils\)](#)

[sg3_utils-1.36](#)

May 2013

[SCSI_STOP\(8\)](#)