



Full credit is given to the above companies including the Operating System (OS) that this PDF file was generated!

Rocky Enterprise Linux 9.2 Manual Pages on command 'systemd-xdg-autostart-generator.8'

\$ man systemd-xdg-autostart-generator.8

SYSTEMD-XDG-AUTOSTART-GENERATOR(8systemd-xdg-autostart-generatoSYSTEMD-XDG-AUTOSTART-GENERATOR(8)
OR(8)

NAME

systemd-xdg-autostart-generator - User unit generator for XDG autostart files

SYNOPSIS

/usr/lib/systemd/user-generators/systemd-xdg-autostart-generator

DESCRIPTION

systemd-xdg-autostart-generator is a generator that creates .service units for XDG autostart[1] files. This permits desktop environments to delegate startup of these applications to systemd(1) .

Units created by systemd-xdg-autostart-generator can be started by the desktop environment using "xdg-desktop-autostart.target". See systemd.special(7) for more details.

systemd-xdg-autostart-generator implements systemd.generator(7).

SEE ALSO

systemd(1), systemd.service(5), systemd.target(5)

NOTES

1. XDG autostart

<https://specifications.freedesktop.org/autostart-spec/autostart-spec-latest.html>

systemd 249

SYSTEMD-XDG-AUTOSTART-GENERATOR(8)