

TEE(1)

User Commands

TEE(1)

## NAME

**tee** - read from standard input and write to standard output and files

## SYNOPSIS

**tee** [OPTION]... [FILE]...

## DESCRIPTION

Copy standard input to each FILE, and also to standard output.

**-a, --append**

append to the given FILEs, do not overwrite

**-i, --ignore-interrupts**

ignore interrupt signals

**-p** diagnose errors writing to non pipes

**--output-error[=MODE]**

set behavior on write error. See MODE below

**--help** display this help and exit

output version information and exit

**MODE** determines behavior with write errors on the outputs:

'warn' diagnose errors writing to any output

'warn-nopipe'

diagnose errors writing to any output not a pipe

'exit' exit on error writing to any output

'exit-nopipe'

exit on error writing to any output not a pipe

The default **MODE** for the **-p** option is 'warn-nopipe'. The default operation when **--output-error** is not specified, is to exit immediately on error writing to a pipe, and diagnose errors writing to non pipe outputs.

## AUTHOR

Written by Mike Parker, Richard M. Stallman, and David MacKenzie.

## REPORTING BUGS

GNU coreutils online help: <<https://www.gnu.org/software/coreutils/>>

Report any translation bugs to <<https://translationproject.org/team/>>

# Linux UBUNTU Manual Pages

## COPYRIGHT

Copyright ? 2020 Free Software Foundation, Inc. License GPLv3+: GNU  
GPL version 3 or later <<https://gnu.org/licenses/gpl.html>>.

This is free software: you are free to change and redistribute it.

There is NO WARRANTY, to the extent permitted by law.

## SEE ALSO

Full documentation <<https://www.gnu.org/software/coreutils/tee>>  
or available locally via: info '(coreutils) tee invocation'

GNU coreutils 8.32

February 2024

TEE(1)