



Full credit is given to the above companies including the Operating System (OS) that this PDF file was generated!

Rocky Enterprise Linux 9.2 Manual Pages on command 'tracker3-search.1'

\$ man tracker3-search.1

TRACKER3-SEARCH(1) Tracker manual TRACKER3-SEARCH(1)

NAME

tracker3-search - Search for content by type or across all types

SYNOPSIS

tracker3 search [options...] [[expression1] ...]

DESCRIPTION

tracker3 search searches all indexed content for expression. The resource in which expression matches must exist (see --all for more information). All results are returned in ascending order. In all cases, if no expression is given for an argument (like --folders for example) then ALL items in that category are returned instead.

expression

One or more terms to search. The default operation is a logical AND. For logical OR operations, see -r.

OPTIONS

-f, --files

Search for files of any type matching expression (optional).

-s, --folders

Search for folders matching expression (optional).

-m, --music

Search for music files matching expression (optional).

--music-albums

Search for music albums matching expression (optional).

--music-artists

Search for music artists matching expression (optional).

-i, --images

Search for images matching expression (optional).

-v, --videos

Search for videos matching expression (optional).

-t, --documents

Search for documents matching expression (optional).

-e, --emails

Search for emails matching expression (optional). Returns a list of subjects for emails found.

-c, --contacts

Search for contacts matching expression (optional). Returns a list of names and email addresses found.

--software

Search for software installed matching expression (optional). Returns a list of desktop files and application titles found.

--software-categories

Search for software categories matching expression (optional). Returns a list of urns and their categories (e.g. Settings, Video, Utility, etc).

--feeds

Search through RSS feed information matching expression (optional). Returns a list of those found.

-b, --bookmarks

Search through bookmarks matching expression (optional). Returns a list titles and links for each bookmark found.

-l, --limit=<limit>

Limit search to limit results. The default is 10 or 512 with --disable-snippets.

-o, --offset=<offset>

Offset the search results by offset. For example, start at item number 10 in the results. The default is 0.

-r, --or-operator

Use OR for search terms instead of AND (the default)

-d, --detailed

Show the unique URN associated with each search result. This does not apply to

--music-albums and --music-artists.

-a, --all

Show results which might not be available. This might be because a removable media is not mounted for example. Without this option, resources are only shown if they exist.

This option applies to all command line switches except

--disable-snippets

Results are shown with snippets. Snippets are context around the word that was searched for in the first place. This gives some idea of if the resource found is the right one. Snippets require Full Text Search to be compile time enabled AND to not be disabled with --disable-fts. Using --disable-snippets only shows the resources which matched, no context is provided about where the match occurred.

--disable-fts

If Full Text Search (FTS) is available, this option allows it to be disabled for one off searches. This returns results slightly using particular properties to match the search terms (like "nie:title") instead of looking for the search terms amongst ALL properties. It is more limiting to do this, but sometimes searching without FTS can yield better results if the FTS ranking is off.

--disable-color

This disables any ANSI color use on the command line. By default this is enabled to make it easier to see results.

SEE ALSO

tracker3-status(1), tracker3-tag(1), tracker3-info(1).

3.3.3

12/01/2023

TRACKER3-SEARCH(1)