



Full credit is given to the above companies including the Operating System (OS) that this PDF file was generated!

Rocky Enterprise Linux 9.2 Manual Pages on command 'wmemchr.3'

\$ man wmemchr.3

WMEMCHR(3)

Linux Programmer's Manual

WMEMCHR(3)

NAME

wmemchr - search a wide character in a wide-character array

SYNOPSIS

```
#include <wchar.h>
wchar_t *wmemchr(const wchar_t *s, wchar_t c, size_t n);
```

DESCRIPTION

The `wmemchr()` function is the wide-character equivalent of the `memchr(3)` function. It searches the `n` wide characters starting at `s` for the first occurrence of the wide character `c`.

RETURN VALUE

The `wmemchr()` function returns a pointer to the first occurrence of `c` among the `n` wide characters starting at `s`, or `NULL` if `c` does not occur among these.

ATTRIBUTES

For an explanation of the terms used in this section, see `attributes(7)`.

??

?Interface ? Attribute ? Value ?

??

?`wmemchr()` ? Thread safety ? MT-Safe ?

??

CONFORMING TO

POSIX.1-2001, POSIX.1-2008, C99.

SEE ALSO

memchr(3), wcschr(3)

COLOPHON

This page is part of release 5.10 of the Linux man-pages project. A description of the project, information about reporting bugs, and the latest version of this page, can be found at <https://www.kernel.org/doc/man-pages/>.

GNU

2015-08-08

WMEMCHR(3)