



## ***Rocky Enterprise Linux 9.2 Manual Pages on command 'File::HomeDir::Windows.3pm'***

**C:\>man File::HomeDir::Windows.3pm**

File::HomeDir::Windows(3pm) User Contributed Perl DocumentationFile::HomeDir::Windows(3pm)

### NAME

File::HomeDir::Windows - Find your home and other directories on Windows

### SYNOPSIS

```
use File::HomeDir;
```

```
# Find directories for the current user (eg. using Windows XP Professional)
```

```
$home = File::HomeDir->my_home;    # C:\Documents and Settings\mylogin
```

```
$desktop = File::HomeDir->my_desktop;  # C:\Documents and Settings\mylogin\Desktop
```

```
$docs = File::HomeDir->my_documents;  # C:\Documents and Settings\mylogin\My Documents
```

```
$music = File::HomeDir->my_music;     # C:\Documents and Settings\mylogin\My Documents\My Music
```

```
$pics = File::HomeDir->my_pictures;   # C:\Documents and Settings\mylogin\My Documents\My Pictures
```

```
$videos = File::HomeDir->my_videos;   # C:\Documents and Settings\mylogin\My Documents\My Video
```

```
$data = File::HomeDir->my_data;      # C:\Documents and Settings\mylogin\Local Settings\Application Data
```

### DESCRIPTION

This module provides Windows-specific implementations for determining common user directories. In normal usage this module will always be used via File::HomeDir.

Internally this module will use Win32::GetFolderPath to fetch the location of your

directories. As a result of this, in certain unusual situations (usually found inside large organizations) the methods may return UNC paths such as "\\cifs.local\home\$".

If your application runs on Windows and you want to have it work comprehensively everywhere, you may need to implement your own handling for these paths as they can cause strange behaviour.

For example, stat calls to UNC paths may work but block for several seconds, but opendir() may not be able to read any files (creating the appearance of an existing but empty directory).

To avoid complicating the problem any further, in the rare situation that a UNC path is returned by "GetFolderPath" the usual -d validation checks will not be done.

## SUPPORT

See the support section the main File::HomeDir module.

## AUTHORS

Adam Kennedy <adamk@cpan.org>

Sean M. Burke <sburke@cpan.org>

## SEE ALSO

File::HomeDir, File::HomeDir::Win32 (legacy)

## COPYRIGHT

Copyright 2005 - 2011 Adam Kennedy.

Some parts copyright 2000 Sean M. Burke.

This program is free software; you can redistribute it and/or modify it under the

same terms as Perl itself.

The full text of the license can be found in the LICENSE file included with this module.

perl v5.26.2

2018-05-17

File::HomeDir::Windows(3pm)