



Rocky Enterprise Linux 9.2 Manual Pages on command 'Font::TTF::Hhea.3pm'

C:\>man Font::TTF::Hhea.3pm

Font::TTF::Hhea(3pm) User Contributed Perl Documentation Font::TTF::Hhea(3pm)

NAME

Font::TTF::Hhea - Horizontal Header table

DESCRIPTION

This is a simple table with just standards specified instance variables

INSTANCE VARIABLES

version
Ascender
Descender
LineGap
advanceWidthMax
minLeftSideBearing
minRightSideBearing
xMaxExtent
caretSlopeRise
caretSlopeRun
metricDataFormat
numberOfHMetrics

METHODS

`$t->read`

Reads the table into memory as instance variables

`$t->out($fh)`

Writes the table to a file either from memory or by copying.

`$t->minsize()`

Returns the minimum size this table can be. If it is smaller than this, then the table must be bad and should be deleted or whatever.

`$t->update`

Updates various parameters in the hhea table from the hmtx table.

BUGS

None known

AUTHOR

Martin Hosken <<http://scripts.sil.org/FontUtils>>.

LICENSING

Copyright (c) 1998-2016, SIL International (<http://www.sil.org>)

This module is released under the terms of the Artistic License 2.0. For details, see the full text of the license in the file LICENSE.

perl v5.24.1

2016-08-28

Font::TTF::Hhea(3pm)