



Rocky Enterprise Linux 9.2 Manual Pages on command 'GitLab::API::v4::Constants.3pm'

C:\>man GitLab::API::v4::Constants.3pm

GitLab::API::v4::Constants(3User Contributed Perl DocumentaGitLab::API::v4::Constants(3pm)

NAME

GitLab::API::v4::Constants - GitLab API v4 constants.

SYNOPSIS

```
use GitLab::API::v4::Constants qw( :all );
```

```
print $GITLAB_ACCESS_LEVEL_GUEST; # 10
```

CONSTANTS

`$GITLAB_ACCESS_LEVEL_NO_ACCESS`

0

`$GITLAB_ACCESS_LEVEL_GUEST`

10

`$GITLAB_ACCESS_LEVEL_REPORTER`

20

`$GITLAB_ACCESS_LEVEL_DEVELOPER`

30

`$GITLAB_ACCESS_LEVEL_MASTER`

40

`$GITLAB_ACCESS_LEVEL_OWNER`

50

`@GITLAB_ACCESS_LEVELS`

An array containing the values for "`$GITLAB_ACCESS_LEVEL_NO_ACCESS`", "`$GITLAB_ACCESS_LEVEL_GUEST`", "`$GITLAB_ACCESS_LEVEL_REPORTER`", "`$GITLAB_ACCESS_LEVEL_DEVELOPER`", "`$GITLAB_ACCESS_LEVEL_MASTER`", and "`$GITLAB_ACCESS_LEVEL_OWNER`".

`$GITLAB_SNIPPET_VISIBILITY_LEVEL_PRIVATE`

"private"

`$GITLAB_SNIPPET_VISIBILITY_LEVEL_INTERNAL`

"internal"

`$GITLAB_SNIPPET_VISIBILITY_LEVEL_PUBLIC`

"public"

`@GITLAB_SNIPPET_VISIBILITY_LEVELS`

An array containing the values for "`$GITLAB_SNIPPET_VISIBILITY_LEVEL_PRIVATE`", "`$GITLAB_SNIPPET_VISIBILITY_LEVEL_INTERNAL`", and "`$GITLAB_SNIPPET_VISIBILITY_LEVEL_PUBLIC`".

SUPPORT

See "SUPPORT" in `GitLab::API::v4`.

AUTHORS

See "AUTHORS" in `GitLab::API::v4`.

COPYRIGHT AND LICENSE

See "COPYRIGHT AND LICENSE" in `GitLab::API::v4`.

perl v5.30.0

2020-02-13

`GitLab::API::v4::Constants(3pm)`