



Rocky Enterprise Linux 9.2 Manual Pages on command 'HTTP::Daemon.3pm'

C:\>man HTTP::Daemon.3pm

HTTP::Daemon(3pm) User Contributed Perl Documentation HTTP::Daemon(3pm)

NAME

HTTP::Daemon - A simple http server class

VERSION

version 6.06

SYNOPSIS

```
use HTTP::Daemon;

use HTTP::Status;

my $d = HTTP::Daemon->new || die;

print "Please contact me at: <URL:", $d->url, ">\n";

while (my $c = $d->accept) {
    while (my $r = $c->get_request) {
        if ($r->method eq 'GET' and $r->uri->path eq "/xyzzzy") {
            # remember, this is *not* recommended practice :-)
            $c->send_file_response("/etc/passwd");
        }
        else {
            $c->send_error(RC_FORBIDDEN)
        }
    }
}

$c->close;

undef($c);
```

```
}
```

DESCRIPTION

Instances of the "HTTP::Daemon" class are HTTP/1.1 servers that listen on a socket for incoming requests. The "HTTP::Daemon" is a subclass of "IO::Socket::IP", so you can perform socket operations directly on it too.

The `accept()` method will return when a connection from a client is available. The returned value will be an "HTTP::Daemon::ClientConn" object which is another "IO::Socket::IP" subclass. Calling the `get_request()` method on this object will read data from the client and return an "HTTP::Request" object. The ClientConn object also provide methods to send back various responses.

This HTTP daemon does not `fork(2)` for you. Your application, i.e. the user of the "HTTP::Daemon" is responsible for forking if that is desirable. Also note that the user is responsible for generating responses that conform to the HTTP/1.1 protocol.

The following methods of "HTTP::Daemon" are new (or enhanced) relative to the "IO::Socket::IP" base class:

```
$d = HTTP::Daemon->new
```

```
$d = HTTP::Daemon->new( %opts )
```

The constructor method takes the same arguments as the "IO::Socket::IP" constructor, but unlike its base class it can also be called without any arguments. The daemon will then set up a listen queue of 5 connections and allocate some random port number.

A server that wants to bind to some specific address on the standard HTTP port will be constructed like this:

```
$d = HTTP::Daemon->new(  
    LocalAddr => 'www.thisplace.com',  
    LocalPort => 80,  
);
```

See `IO::Socket::IP` for a description of other arguments that can be used to configure the daemon during construction.

```
$c = $d->accept
```

```
$c = $d->accept( $pkg )
```

```
( $c, $peer_addr ) = $d->accept
```

This method works the same the one provided by the base class, but it returns

an "HTTP::Daemon::ClientConn" reference by default. If a package name is provided as argument, then the returned object will be blessed into the given class. It is probably a good idea to make that class a subclass of "HTTP::Daemon::ClientConn".

The accept method will return "undef" if timeouts have been enabled and no connection is made within the given time. The timeout() method is described in IO::Socket::IP.

In list context both the client object and the peer address will be returned; see the description of the accept method IO::Socket for details.

`$d->url`

Returns a URL string that can be used to access the server root.

`$d->product_tokens`

Returns the name that this server will use to identify itself. This is the string that is sent with the "Server" response header. The main reason to have this method is that subclasses can override it if they want to use another product name.

The default is the string "libwww-perl-daemon/#.##" where "#.##" is replaced with the version number of this module.

The "HTTP::Daemon::ClientConn" is a "IO::Socket::IP" subclass. Instances of this class are returned by the accept() method of "HTTP::Daemon". The following methods are provided:

`$c->get_request`

`$c->get_request($headers_only)`

This method reads data from the client and turns it into an "HTTP::Request" object which is returned. It returns "undef" if reading fails. If it fails, then the "HTTP::Daemon::ClientConn" object (\$c) should be discarded, and you should not try call this method again on it. The \$c->reason method might give you some information about why \$c->get_request failed.

The get_request() method will normally not return until the whole request has been received from the client. This might not be what you want if the request is an upload of a large file (and with chunked transfer encoding HTTP can even support infinite request messages - uploading live audio for instance). If you pass a TRUE value as the \$headers_only argument, then get_request() will return

immediately after parsing the request headers and you are responsible for reading the rest of the request content. If you are going to call `$c->get_request` again on the same connection you better read the correct number of bytes.

`$c->read_buffer`

`$c->read_buffer($new_value)`

Bytes read by `$c->get_request`, but not used are placed in the read buffer. The next time `$c->get_request` is called it will consume the bytes in this buffer before reading more data from the network connection itself. The read buffer is invalid after `$c->get_request` has failed.

If you handle the reading of the request content yourself you need to empty this buffer before you read more and you need to place unconsumed bytes here.

You also need this buffer if you implement services like 101 Switching Protocols.

This method always returns the old buffer content and can optionally replace the buffer content if you pass it an argument.

`$c->reason`

When `$c->get_request` returns "undef" you can obtain a short string describing why it happened by calling `$c->reason`.

`$c->proto_ge($proto)`

Return TRUE if the client announced a protocol with version number greater or equal to the given argument. The `$proto` argument can be a string like "HTTP/1.1" or just "1.1".

`$c->antique_client`

Return TRUE if the client speaks the HTTP/0.9 protocol. No status code and no headers should be returned to such a client. This should be the same as `!$c->proto_ge("HTTP/1.0")`.

`$c->head_request`

Return TRUE if the last request was a "HEAD" request. No content body must be generated for these requests.

`$c->force_last_request`

Make sure that `$c->get_request` will not try to read more requests off this connection. If you generate a response that is not self delimiting, then you

should signal this fact by calling this method.

This attribute is turned on automatically if the client announces protocol HTTP/1.0 or worse and does not include a "Connection: Keep-Alive" header. It is also turned on automatically when HTTP/1.1 or better clients send the "Connection: close" request header.

```
$c->send_status_line
```

```
$c->send_status_line( $code )
```

```
$c->send_status_line( $code, $mess )
```

```
$c->send_status_line( $code, $mess, $proto )
```

Send the status line back to the client. If \$code is omitted 200 is assumed.

If \$mess is omitted, then a message corresponding to \$code is inserted. If

\$proto is missing the content of the \$HTTP::Daemon::PROTO variable is used.

```
$c->send_crlf
```

Send the CRLF sequence to the client.

```
$c->send_basic_header
```

```
$c->send_basic_header( $code )
```

```
$c->send_basic_header( $code, $mess )
```

```
$c->send_basic_header( $code, $mess, $proto )
```

Send the status line and the "Date:" and "Server:" headers back to the client.

This header is assumed to be continued and does not end with an empty CRLF line.

See the description of send_status_line() for the description of the accepted arguments.

```
$c->send_header( $field, $value )
```

```
$c->send_header( $field1, $value1, $field2, $value2, ... )
```

Send one or more header lines.

```
$c->send_response( $res )
```

Write a "HTTP::Response" object to the client as a response. We try hard to make sure that the response is self delimiting so that the connection can stay persistent for further request/response exchanges.

The content attribute of the "HTTP::Response" object can be a normal string or a subroutine reference. If it is a subroutine, then whatever this callback routine returns is written back to the client as the response content. The

routine will be called until it return an undefined or empty value. If the client is HTTP/1.1 aware then we will use chunked transfer encoding for the response.

```
$c->send_redirect( $loc )
```

```
$c->send_redirect( $loc, $code )
```

```
$c->send_redirect( $loc, $code, $entity_body )
```

Send a redirect response back to the client. The location (`$loc`) can be an absolute or relative URL. The `$code` must be one the redirect status codes, and defaults to "301 Moved Permanently"

```
$c->send_error
```

```
$c->send_error( $code )
```

```
$c->send_error( $code, $error_message )
```

Send an error response back to the client. If the `$code` is missing a "Bad Request" error is reported. The `$error_message` is a string that is incorporated in the body of the HTML entity body.

```
$c->send_file_response( $filename )
```

Send back a response with the specified `$filename` as content. If the file is a directory we try to generate an HTML index of it.

```
$c->send_file( $filename )
```

```
$c->send_file( $fd )
```

Copy the file to the client. The file can be a string (which will be interpreted as a filename) or a reference to an "IO::Handle" or glob.

```
$c->daemon
```

Return a reference to the corresponding "HTTP::Daemon" object.

SEE ALSO

RFC 2616

IO::Socket::IP, IO::Socket

SUPPORT

bugs may be submitted through <https://github.com/libwww-perl/HTTP-Daemon/issues>.

There is also a mailing list available for users of this distribution, at <mailto:libwww@perl.org>.

There is also an irc channel available for users of this distribution, at "#lwp" on "irc.perl.org" <irc://irc.perl.org/#lwp>.

AUTHOR

Gisle Aas <gisle@activestate.com>

CONTRIBUTORS

? Ville Skyttae <ville.skytta@iki.fi>
? Olaf Alders <olaf@wundersolutions.com>
? Mark Stosberg <MARKSTOS@cpan.org>
? Karen Etheridge <ether@cpan.org>
? Chase Whitener <capoeirab@cpan.org>
? Slaven Rezic <slaven@rezic.de>
? Zefram <zefram@fysh.org>
? Alexey Tourbin <at@altlinux.ru>
? Bron Gondwana <brong@fastmail.fm>
? Petr PisaX <ppisar@redhat.com>
? Mike Schilli <mschilli@yahoo-inc.com>
? Tom Hukins <tom@eborcom.com>
? Ian Kilgore <iank@cpan.org>
? Jacob J <waif@chaos2.org>
? Ondrej Hanak <ondrej.hanak@ubs.com>
? Perlover <perlover@perlover.com>
? Peter Rabbitson <ribasushi@cpan.org>
? Robert Stone <talby@trap.mtview.ca.us>
? Rolf Grossmann <rg@progtech.net>
? Sean M. Burke <sburke@cpan.org>
? Spiros Denaxas <s.denaxas@gmail.com>
? Steve Hay <SteveHay@planit.com>
? Todd Lipcon <todd@amiestreet.com>
? Tony Finch <dot@dotat.at>
? Toru Yamaguchi <zigorou@cpan.org>
? Yuri Karaban <tech@askold.net>
? amire80 <amir.aharoni@gmail.com>
? jefflee <shaohua@gmail.com>
? john9art <john9art@yahoo.com>
? murphy <murphy@genome.chop.edu>

- ? phrstbrn <phrstbrn@gmail.com>
- ? ruff <ruff@ukrpost.net>
- ? Adam Kennedy <adamk@cpan.org>
- ? sasao <sasao@yugen.org>
- ? Adam Sjogren <asjo@koldfront.dk>
- ? Alex Kapranoff <ka@nadoby.ru>
- ? Andreas J. Koenig <andreas.koenig@anima.de>
- ? Bill Mann <wfmann@alum.mit.edu>
- ? DAVIDRW <davidrw@cpan.org>
- ? Daniel Hedlund <Daniel.Hedlund@eprize.com>
- ? David E. Wheeler <david@justatheory.com>
- ? FWILES <FWILES@cpan.org>
- ? Father Chrysostomos <sprout@cpan.org>
- ? Gavin Peters <gpeters@deepsky.com>
- ? Graeme Thompson <Graeme.Thompson@mobilecohesion.com>
- ? Hans-H. Froehlich <hfroehlich@co-de-co.de>

COPYRIGHT AND LICENCE

This software is copyright (c) 1995 by Gisle Aas.

This is free software; you can redistribute it and/or modify it under the same terms as the Perl 5 programming language system itself.

perl v5.30.0

2022-07-13

HTTP::Daemon(3pm)