



Rocky Enterprise Linux 9.2 Manual Pages on command 'Lintian::Processable::Fields::Files.3'

C:\>man Lintian::Processable::Fields::Files.3

Lintian::Processable::Fields::FileDebian Package CheLintian::Processable::Fields::Files(3)

NAME

Lintian::Processable::Fields::Files - Lintian interface to .buildinfo or changes
file data collection

SYNOPSIS

use Moo;

with 'Lintian::Processable::Fields::Files';

DESCRIPTION

Lintian::Processable::Fields::Files provides an interface to data for .buildinfo
and changes files. It implements data collection methods specific to .buildinfo
and changes files.

INSTANCE METHODS

files

Returns a reference to a hash containing information about files listed in the
.buildinfo file. Each hash may have the following keys:

name

Name of the file.

size

The size of the file in bytes.

section

The archive section to which the file belongs.

priority

The priority of the file.

checksums

A hash with the keys being checksum algorithms and the values themselves
being hashes containing

sum The result of applying the given algorithm to the file.

filesize

The size of the file as given in the .buildinfo section relating to the
given checksum.

saved_files

AUTHOR

Originally written by Adam D. Barratt <adsb@debian.org> for Lintian.

SEE ALSO

lintian(1), Lintian::Processable