



Rocky Enterprise Linux 9.2 Manual Pages on command 'Log::Any::Adapter::File.3pm'

C:\>man Log::Any::Adapter::File.3pm

Log::Any::Adapter::File(3pm) User Contributed Perl DocumentatioLog::Any::Adapter::File(3pm)

NAME

Log::Any::Adapter::File - Simple adapter for logging to files

VERSION

version 1.708

SYNOPSIS

```
use Log::Any::Adapter ('File', '/path/to/file.log');  
  
# or  
  
use Log::Any::Adapter;  
  
...  
  
Log::Any::Adapter->set('File', '/path/to/file.log');  
  
# with minimum level 'warn'  
  
use Log::Any::Adapter (  
    'File', '/path/to/file.log', log_level => 'warn',  
  
);
```

DESCRIPTION

This simple built-in Log::Any adapter logs each message to the specified file, with a datestamp prefix and newline appended. The file is opened for append with autoflush on. If "flock" is available, the handle will be locked when writing.

The "log_level" attribute may be set to define a minimum level to log.

The "binmode" attribute may be set to define a PerlIO layer string to use when opening the file. The default is ":utf8".

Category is ignored.

SEE ALSO

Log::Any, Log::Any::Adapter

AUTHORS

? Jonathan Swartz <swartz@pobox.com>

? David Golden <dagolden@cpan.org>

? Doug Bell <preaction@cpan.org>

? Daniel Pittman <daniel@rimspace.net>

? Stephen Thirlwall <sdt@cpan.org>

COPYRIGHT AND LICENSE

This software is copyright (c) 2017 by Jonathan Swartz, David Golden, and Doug Bell.

This is free software; you can redistribute it and/or modify it under the same terms as the Perl 5 programming language system itself.

perl v5.30.0

2020-01-24

Log::Any::Adapter::File(3pm)