



Rocky Enterprise Linux 9.2 Manual Pages on command 'Mail::Field::Generic.3pm'

C:\>man Mail::Field::Generic.3pm

Mail::Field::Generic(3pm) User Contributed Perl Documentation Mail::Field::Generic(3pm)

NAME

Mail::Field::Generic - implementation for inspecific fields

INHERITANCE

Mail::Field::Generic

is a Mail::Field

SYNOPSIS

```
use Mail::Field;

my $field = Mail::Field->new('Subject', 'some subject text');

my $field = Mail::Field->new(subject => 'some subject text');
```

DESCRIPTION

A generic implementation for header fields without own implementation. This is fine for fields like "Subject", "X-Mailer", etc., where the field holds only a string of no particular importance/format.

Extends "DESCRIPTION" in Mail::Field.

METHODS

Extends "METHODS" in Mail::Field.

Constructors

Extends "Constructors" in Mail::Field.

Mail::Field::Generic->combine(\$fields)

Inherited, see "Constructors" in Mail::Field

Mail::Field::Generic->extract(\$tag, \$head [, \$index])

Inherited, see "Constructors" in Mail::Field

Mail::Field::Generic->new(\$tag [, STRING | %options])

Inherited, see "Constructors" in Mail::Field

"Fake" constructors

Extends ""Fake" constructors" in Mail::Field.

\$obj->create(%options)

-Option--Default

Text "

Text => STRING

\$obj->parse([STRING])

Set the new text, which is empty when no STRING is provided.

Accessors

Extends "Accessors" in Mail::Field.

\$obj->set(%options)

Inherited, see "Accessors" in Mail::Field

\$obj->stringify()

Inherited, see "Accessors" in Mail::Field

`$obj->tag()`

`Mail::Field::Generic->tag()`

Inherited, see "Accessors" in `Mail::Field`

Smart accessors

Extends "Smart accessors" in `Mail::Field`.

`$obj->text([STRING])`

Inherited, see "Smart accessors" in `Mail::Field`

DETAILS

Extends "DETAILS" in `Mail::Field`.

DIAGNOSTICS

Error: Undefined subroutine `<method>` called

`Mail::Field` objects use autoloading to compile new functionality. Apparently, the method called is not implemented for the specific class of the field object.

SEE ALSO

This module is part of the MailTools distribution,
<http://perl.overmeer.net/mailtools/>.

AUTHORS

The MailTools bundle was developed by Graham Barr. Later, Mark Overmeer took over maintenance without commitment to further development.

`Mail::Cap` by Gisle Aas aas@oslonett.no. `Mail::Field::AddrList` by Peter Orbaek poe@cit.dk. `Mail::Mailer` and `Mail::Send` by Tim Bunce Tim.Bunce@ig.co.uk. For other contributors see `ChangeLog`.

Copyrights 1995-2000 Graham Barr <gbarr@pobox.com> and 2001-2017 Mark Overmeer
<perl@overmeer.net>.

This program is free software; you can redistribute it and/or modify it under the
same terms as Perl itself. See <http://www.perl.com/perl/misc/Artistic.html>

perl v5.28.1

2019-07-25

Mail::Field::Generic(3pm)