



Rocky Enterprise Linux 9.2 Manual Pages on command 'Net::DNS::RR::NSEC3PARAM.3pm'

C:\>man Net::DNS::RR::NSEC3PARAM.3pm

Net::DNS::RR::NSEC3PARAM(3pmUser Contributed Perl DocumentatiNet::DNS::RR::NSEC3PARAM(3pm)

NAME

Net::DNS::RR::NSEC3PARAM - DNS NSEC3PARAM resource record

SYNOPSIS

```
use Net::DNS;
```

```
$rr = new Net::DNS::RR('name NSEC3PARAM algorithm flags iterations salt');
```

DESCRIPTION

Class for DNSSEC NSEC3PARAM resource records.

The NSEC3PARAM RR contains the NSEC3 parameters (hash algorithm, flags, iterations and salt) needed to calculate hashed ownernames.

The presence of an NSEC3PARAM RR at a zone apex indicates that the specified parameters may be used by authoritative servers to choose an appropriate set of NSEC3 records for negative responses.

The NSEC3PARAM RR is not used by validators or resolvers.

METHODS

The available methods are those inherited from the base class augmented by the type-specific methods defined in this package.

Use of undocumented package features or direct access to internal data structures is discouraged and could result in program termination or other unpredictable behaviour.

algorithm

```
$algorithm = $rr->algorithm;
```

```
$rr->algorithm( $algorithm );
```

The Hash Algorithm field is represented as an unsigned decimal integer. The value has a maximum of 255.

flags

```
$flags = $rr->flags;
```

```
$rr->flags( $flags );
```

The Flags field is represented as an unsigned decimal integer. The value has a maximum of 255.

iterations

```
$iterations = $rr->iterations;
```

```
$rr->iterations( $iterations );
```

The Iterations field is represented as an unsigned decimal integer. The value is between 0 and 65535, inclusive.

salt

```
$salt = $rr->salt;
```

```
$rr->salt( $salt );
```

The Salt field is represented as a contiguous sequence of hexadecimal digits. A "-" (unquoted) is used in string format to indicate that the salt field is absent.

saltbin

```
$saltbin = $rr->saltbin;
```

```
$rr->saltbin( $saltbin );
```

The Salt field as a sequence of octets.

COPYRIGHT

Copyright (c)2007,2008 NLnet Labs. Author Olaf M. Kolkman

All rights reserved.

Package template (c)2009,2012 O.M.Kolkman and R.W.Franks.

LICENSE

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation, and that the name of the author not be used in advertising or publicity pertaining to distribution of the software without specific prior written permission.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

SEE ALSO

perl, Net::DNS, Net::DNS::RR, RFC5155

perl v5.30.0

2020-02-22

Net::DNS::RR::NSEC3PARAM(3pm)