



Rocky Enterprise Linux 9.2 Manual Pages on command 'X11::Protocol::Ext::XFree86_Misc.3pm'

C:\>man X11::Protocol::Ext::XFree86_Misc.3pm

Protocol::Ext::XFree86_Misc(User Contributed Perl DocumentProtocol::Ext::XFree86_Misc(3pm)

NAME

X11::Protocol::Ext::XFree86_Misc.pm - Perl module for the XFree86 Misc Extension

SYNOPSIS

```
use X11::Protocol;  
  
$x = X11::Protocol->new();  
  
$x->init_extension('XFree86-Misc');
```

DESCRIPTION

This module is used to access miscellaneous features of XFree86 servers

SYMBOLIC CONSTANTS

This extension adds the MouseTypes, KeyboardTypes and MouseFlags constants, with values as defined in the XFree86 3.3.3 source code.

REQUESTS

This extension adds several requests, called as shown below:

```
$x->XF86MiscQueryVersion => ($major, $minor)
```

`$x->XF86MiscGetSaver($screen) => ($suspendtime, $offtime)`

`$x->XF86MiscSetSaver($screen, $suspendtime, $offtime)`

`$x->XF86MiscGetMouseSettings => (%settings)`

`$x->XF86MiscSetMouseSettings(%settings)`

`$x->XF86MiscGetKbdSettings => ($type, $rate, $delay, $servnumlock)`

`$x->XF86MiscSetKbdSettings($type, $rate, $delay, $servnumlock)`

AUTHOR

Jay Kominék <jay.kominek@colorado.edu>

SEE ALSO

perl(1), X11::Protocol

perl v5.20.2

2003-05-11

Protocol::Ext::XFree86_Misc(3pm)