



## ***Rocky Enterprise Linux 9.2 Manual Pages on command 'Xau.3'***

**C:\>man Xau.3**

Xau(3) Library Functions Manual Xau(3)

### NAME

Xau library: XauFileName, XauReadAuth, XauLockAuth, XauUnlockAuth, XauWriteAuth, XauDisposeAuth, XauGetAuthByAddr, XauGetBestAuthByAddr - X authority database routines

### SYNOPSIS

```
#include <X11/Xauth.h>

typedef struct xauth {
    unsigned short family;
    unsigned short address_length;
    char *address;
    unsigned short number_length;
    char *number;
    unsigned short name_length;
    char *name;
    unsigned short data_length;
    char *data;
} Xauth;

char *XauFileName (void);
Xauth *XauReadAuth (FILE *auth_file);
int XauWriteAuth (FILE *auth_file, Xauth *auth);
Xauth *XauGetAuthByAddr (unsigned short family, unsigned short
```

```

    address_length, const char *address, unsigned short
    number_length, const char *number, unsigned short
    name_length, const char *name);
Xauth *XauGetBestAuthByAddr (unsigned short family, unsigned short
    address_length, const char *address, unsigned short
    number_length, const char *number, int types_length,
    char **types, const int *type_lengths);
int XauLockAuth (const char *file_name, int retries, int
    timeout, long dead);
int XauUnlockAuth (const char *file_name);
int XauDisposeAuth (Xauth *auth);

```

## DESCRIPTION

`XauFileName` generates the default authorization file name by first checking the `XAUTHORITY` environment variable if set, else it returns `$HOME/.Xauthority`. This name is statically allocated and should not be freed.

`XauReadAuth` reads the next entry from `auth_file`. The entry is not statically allocated and should be freed by calling `XauDisposeAuth`.

`XauWriteAuth` writes an authorization entry to `auth_file`. It returns 1 on success, 0 on failure.

`XauGetAuthByAddr` searches for an entry which matches the given network address/display number pair. The entry is not statically allocated and should be freed by calling `XauDisposeAuth`.

`XauGetBestAuthByAddr` is similar to `XauGetAuthByAddr`, except that a list of acceptable authentication methods is specified. `Xau` will choose the file entry which matches the earliest entry in this list (e.g., the most secure authentication method). The `types` argument is an array of strings, one string for each authentication method. `types_length` specifies how many elements are in the `types` array. `types_lengths` is an array of integers representing the length of each string.

`XauLockAuth` does the work necessary to synchronously update an authorization file. First it makes two file names, one with ```-c"` appended to `file_name`, the other with ```-l"` appended. If the ```-c"` file already exists and is more than `dead_seconds` old, `XauLockAuth` removes it and the associated ```-l"` file. To prevent possible synchronization troubles with NFS, a dead value of zero forces the files to be

removed. XauLockAuth makes retries attempts to create and link the file names, pausing timeout seconds between each attempt. XauLockAuth returns a collection of values depending on the results:

#### LOCK\_ERROR

A system error occurred, either a file\_name which is too long, or an unexpected failure from a system call. errno may prove useful.

#### LOCK\_TIMEOUT

retries attempts failed

#### LOCK\_SUCCESS

The lock succeeded.

XauUnlockAuth undoes the work of XauLockAuth by unlinking both the "-c" and "-l" file names.

XauDisposeAuth frees storage allocated to hold an authorization entry.

#### SEE ALSO

xauth(1), xdm(1)

#### AUTHOR

Keith Packard, MIT X Consortium

X Version 11

libXau 1.0.9

Xau(3)