



Rocky Enterprise Linux 9.2 Manual Pages on command 'XtAddTimeOut.3'

C:\>man XtAddTimeOut.3

XtAddInput(3) XT COMPATIBILITY FUNCTIONS XtAddInput(3)

NAME

XtAddInput, XtAddTimeOut, XtAddWorkProc - register input, timeout, and workprocs

SYNTAX

XtInputId XtAddInput(int source, XtPointer condition, XtInputCallbackProc proc, Xt?
Pointer client_data);

XtIntervalId XtAddTimeOut(unsigned long interval, XtInputCallbackProc proc, Xt?
Pointer client_data);

XtWorkProcId XtAddWorkProc(XtWorkProc proc, XtPointer client_data);

ARGUMENTS

client_data

Specifies the argument that is to be passed to the specified procedure
when input is available

condition Specifies the mask that indicates a read, write, or exception condition
or some operating system dependent condition.

proc Specifies the procedure that is to be called when input is available.

source Specifies the source file descriptor on a UNIX-based system or other operating system dependent device specification.

DESCRIPTION

XtAddInput has been replaced by XtAppAddInput.

XtAddTimeOut has been replaced by XtAppAddTimeOut.

XtAddWorkProc has been replaced by XtAppAddWorkProc.

SEE ALSO

XtAppAddInput(3), XtAppAddTimeOut(3), XtAppAddWorkProc(3)

X Toolkit Intrinsics - C Language Interface

Xlib - C Language X Interface

X Version 11

libXt 1.1.5

XtAddInput(3)