



## ***Rocky Enterprise Linux 9.2 Manual Pages on command 'XtGetSelectionParameters.3'***

**C:\>man XtGetSelectionParameters.3**

XtGetSelectionParameters(3)      XT FUNCTIONS      XtGetSelectionParameters(3)

### NAME

XtGetSelectionParameters - retrieve target parameters for a selection request with a single target

### SYNTAX

```
void XtGetSelectionParameters(Widget owner, Atom selection, XtRequestId request_id,  
    Atom *type_return, XtPointer *value_return, unsigned long *length_return,  
    int *format_return);
```

### ARGUMENTS

**owner**      Specifies the widget that owns the specified selection.

**selection** Specifies the selection being processed.

**request\_id**

Specifies the requestor id in the case of incremental selections, or NULL in the case of atomic transfers.

**type\_return**

Specifies a pointer to an atom in which the property type of the parame?

ters will be stored.

value\_return

Specifies a pointer into which a pointer to the parameters are to be stored. A NULL will be stored if no parameters accompany the request.

length\_return

Specifies a pointer into which the number of data elements in value\_return of size indicated by format\_return will be stored.

format\_return

Specifies a pointer into which the size in bits of the parameter data in the elements of value\_return will be stored.

## DESCRIPTION

XtGetSelectionParameters may only be called from within an XtConvertSelectionProc or from within the last call to an XtConvertSelectionIncrProc with a new request\_id.

## SEE ALSO

XtSetSelectionParameters(3)

X Toolkit Intrinsic - C Language Interface

Xlib - C Language X Interface

X Version 11

libXt 1.1.5

XtGetSelectionParameters(3)