



## ***Rocky Enterprise Linux 9.2 Manual Pages on command 'XtGetSelectionValues.3'***

**C:\>man XtGetSelectionValues.3**

XtGetSelectionValue(3)            XT FUNCTIONS            XtGetSelectionValue(3)

### NAME

XtGetSelectionValue, XtGetSelectionValues - obtain selection values

### SYNTAX

```
void XtGetSelectionValue(Widget w, Atom selection, Atom target, XtSelectionCall?  
    backProc callback, XtPointer client_data, Time time);
```

```
void XtGetSelectionValues(Widget w, Atom selection, Atom *targets, int count, XtSe?  
    lectionCallbackProc callback, XtPointer client_data, Time time);
```

### ARGUMENTS

**callback** Specifies the callback procedure that is to be called when the selection value has been obtained.

**client\_data**

Specifies the argument that is to be passed to the specified procedure when it is called.

**client\_data**

Specifies the client data (one for each target type) that is passed to

the callback procedure when it is called for that target.

count Specifies the length of the targets and client\_data lists.

selection Specifies the particular selection desired (that is, primary or secondary).

target Specifies the type of the information that is needed about the selection.

targets Specifies the types of information that is needed about the selection.

time Specifies the timestamp that indicates when the selection value is desired.

w Specifies the widget that is making the request.

## DESCRIPTION

The XtGetSelectionValue function requests the value of the selection that has been converted to the target type. The specified callback will be called some time after XtGetSelectionValue is called; in fact, it may be called before or after XtGetSelectionValue returns.

The XtGetSelectionValues function is similar to XtGetSelectionValue except that it takes a list of target types and a list of client data and obtains the current value of the selection converted to each of the targets. The effect is as if each target were specified in a separate call to XtGetSelectionValue. The callback is called once with the corresponding client data for each target. XtGetSelectionValues does guarantee that all the conversions will use the same selection value because the ownership of the selection cannot change in the middle of the list, as would be when calling XtGetSelectionValue repeatedly.

## SEE ALSO

XtAppGetSelectionTimeout(3), XtOwnSelection(3)

X Toolkit Intrinsic - C Language Interface

Xlib - C Language X Interface

X Version 11

libXt 1.1.5

XtGetSelectionValue(3)