



## ***Rocky Enterprise Linux 9.2 Manual Pages on command 'XtMergeArgLists.3'***

**C:\>man XtMergeArgLists.3**

XtSetArg(3)                      XT FUNCTIONS                      XtSetArg(3)

### NAME

XtSetArg, XtMergeArgLists - set and merge ArgLists

### SYNTAX

```
int XtSetArg(Arg arg, String name, XtArgVal value);
```

```
ArgList XtMergeArgLists(ArgList args1, Cardinal num_args1, ArgList args2, Cardinal  
    num_args2);
```

### ARGUMENTS

arg     Specifies the name-value pair to set.

args1   Specifies the first ArgList.

args2   Specifies the second ArgList.

num\_args1 Specifies the number of arguments in the first argument list.

num\_args2 Specifies the number of arguments in the second argument list.

name     Specifies the name of the resource.

value     Specifies the value of the resource if it will fit in an XtArgVal or the  
address.

### DESCRIPTION

The XtSetArg function is usually used in a highly stylized manner to minimize the probability of making a mistake; for example:

```
Arg args[20];
```

```
int n;
```

```
n = 0;
```

```
XtSetArg(args[n], XtNheight, 100);    n++;
```

```
XtSetArg(args[n], XtNwidth, 200);    n++;
```

```
XtSetValues(widget, args, n);
```

Alternatively, an application can statically declare the argument list and use

XtNumber:

```
static Args args[] = {  
    {XtNheight, (XtArgVal) 100},  
    {XtNwidth, (XtArgVal) 200},  
};
```

```
XtSetValues(Widget, args, XtNumber(args));
```

Note that you should not use auto-increment or auto-decrement within the first argument to XtSetArg. XtSetArg can be implemented as a macro that dereferences the first argument twice.

The XtMergeArgLists function allocates enough storage to hold the combined ArgList structures and copies them into it. Note that it does not check for duplicate entries. When it is no longer needed, free the returned storage by using XtFree.

#### SEE ALSO

XtOffset(3)

X Toolkit Intrinsic - C Language Interface

Xlib - C Language X Interface

X Version 11

libXt 1.1.5

XtSetArg(3)