



Rocky Enterprise Linux 9.2 Manual Pages on command 'XtParseAcceleratorTable.3'

C:\>man XtParseAcceleratorTable.3

XtParseAcceleratorTable(3) XT FUNCTIONS XtParseAcceleratorTable(3)

NAME

XtParseAcceleratorTable, XtInstallAccelerators, XtInstallAllAccelerators - managing
accelerator tables

SYNTAX

```
XtAccelerators XtParseAcceleratorTable(String source);  
void XtInstallAccelerators(Widget destination, Widget source);  
void XtInstallAllAccelerators(Widget destination, Widget source);
```

ARGUMENTS

source Specifies the accelerator table to compile.

destination

 Specifies the widget on which the accelerators are to be installed.

source Specifies the widget or the root widget of the widget tree from which the
 accelerators are to come.

DESCRIPTION

The XtParseAcceleratorTable function compiles the accelerator table into the opaque
internal representation.

The XtInstallAccelerators function installs the accelerators from source onto des?
tination by augmenting the destination translations with the source accelerators.

If the source display_accelerator method is non-NULL, XtInstallAccelerators calls
it with the source widget and a string representation of the accelerator table,
which indicates that its accelerators have been installed and that it should dis?

play them appropriately. The string representation of the accelerator table is its canonical translation table representation.

The `XtInstallAllAccelerators` function recursively descends the widget tree rooted at `source` and installs the accelerators of each widget encountered onto `destination`. A common use is to call `XtInstallAllAccelerators` and pass the application main window as the source.

SEE ALSO

[XtParseTranslationTable\(1\)](#)

[X Toolkit Intrinsic - C Language Interface](#)

[Xlib - C Language X Interface](#)

X Version 11

libXt 1.1.5

[XtParseAcceleratorTable\(3\)](#)