



## ***Rocky Enterprise Linux 9.2 Manual Pages on command 'XtSetErrorHandler.3'***

**C:\>man XtSetErrorHandler.3**

XtErrorMsg(3)            XT COMPATIBILITY FUNCTIONS            XtErrorMsg(3)

### NAME

XtErrorMsg, XtSetErrorHandler, XtWarningMsg, XtSetWarningMsgHandler - high-level error handlers

### SYNTAX

```
void XtErrorMsg(String name, String type, String class, String default, String
    *params, Cardinal *num_params);
```

```
void XtSetErrorHandler(XtErrorHandler msg_handler);
```

```
void XtSetWarningMsgHandler(XtErrorHandler msg_handler);
```

```
void XtWarningMsg(String name, String type, String class, String default, String
    *params, Cardinal *num_params);
```

### ARGUMENTS

class    Specifies the resource class.

default    Specifies the default message to use.

name Specifies the general kind of error.

type Specifies the detailed name of the error.

msg\_handler

Specifies the new fatal error procedure, which should not return or the nonfatal error procedure, which usually returns.

num\_params

Specifies the number of values in the parameter list.

params Specifies a pointer to a list of values to be stored in the message.

## DESCRIPTION

The XtErrorMsg function has been superceded by XtAppErrorMsg.

The XtSetErrorMsgHandler function has been superceded by XtAppSetErrorMsgHandler.

The XtSetWarningMsgHandler function has been superceded by XtAppSetWarningMsgHandler.

The XtWarningMsg function has been superceded by XtAppWarningMsg.

## SEE ALSO

XtAppErrorMsg(3)

X Toolkit Intrinsics - C Language Interface

Xlib - C Language X Interface