



Rocky Enterprise Linux 9.2 Manual Pages on command 'bsd_signal.3'

C:\>man bsd_signal.3

BSD_SIGNAL(3) Linux Programmer's Manual BSD_SIGNAL(3)

NAME

bsd_signal - signal handling with BSD semantics

SYNOPSIS

```
#include <signal.h>
```

```
typedef void (*sighandler_t)(int);
```

```
sighandler_t bsd_signal(int signum, sighandler_t handler);
```

Feature Test Macro Requirements for glibc (see `feature_test_macros(7)`):

bsd_signal():

Since glibc 2.26:

```
_XOPEN_SOURCE >= 500
```

```
&& ! (_POSIX_C_SOURCE >= 200809L)
```

Glibc 2.25 and earlier:

```
_XOPEN_SOURCE
```

DESCRIPTION

The `bsd_signal()` function takes the same arguments, and performs the same task, as `signal(2)`.

The difference between the two is that `bsd_signal()` is guaranteed to provide reliable signal semantics, that is: a) the disposition of the signal is not reset to the default when the handler is invoked; b) delivery of further instances of the signal is blocked while the signal handler is executing; and c) if the handler interrupts a blocking system call, then the system call is automatically restarted.

A portable application cannot rely on `signal(2)` to provide these guarantees.

RETURN VALUE

The `bsd_signal()` function returns the previous value of the signal handler, or `SIG_ERR` on error.

ERRORS

As for `signal(2)`.

ATTRIBUTES

For an explanation of the terms used in this section, see `attributes(7)`.

??

?Interface ? Attribute ? Value ?

??

?`bsd_signal()` ? Thread safety ? MT-Safe ?

??

CONFORMING TO

4.2BSD, POSIX.1-2001. POSIX.1-2008 removes the specification of `bsd_signal()`, recommending the use of `sigaction(2)` instead.

NOTES

Use of `bsd_signal()` should be avoided; use `sigaction(2)` instead.

On modern Linux systems, `bsd_signal()` and `signal(2)` are equivalent. But on older systems, `signal(2)` provided unreliable signal semantics; see `signal(2)` for details.

The use of `sighandler_t` is a GNU extension; this type is defined only if the `_GNU_SOURCE` feature test macro is defined.

SEE ALSO

`sigaction(2)`, `signal(2)`, `sysv_signal(3)`, `signal(7)`

COLOPHON

This page is part of release 5.05 of the Linux man-pages project. A description of the project, information about reporting bugs, and the latest version of this page, can be found at <https://www.kernel.org/doc/man-pages/>.