



Rocky Enterprise Linux 9.2 Manual Pages on command 'capget.2'

C:\>man capget.2

CAPGET(2) Linux Programmer's Manual CAPGET(2)

NAME

capget, capset - set/get capabilities of thread(s)

SYNOPSIS

```
#include <sys/capability.h>

int capget(cap_user_header_t hdrp, cap_user_data_t datap);

int capset(cap_user_header_t hdrp, const cap_user_data_t datap);
```

DESCRIPTION

These two system calls are the raw kernel interface for getting and setting thread capabilities. Not only are these system calls specific to Linux, but the kernel API is likely to change and use of these system calls (in particular the format of the cap_user_*_t types) is subject to extension with each kernel revision, but old programs will keep working.

The portable interfaces are cap_set_proc(3) and cap_get_proc(3); if possible, you should use those interfaces in applications.

Current details

Now that you have been warned, some current kernel details. The structures are defined as follows.

```
#define _LINUX_CAPABILITY_VERSION_1 0x19980330

#define _LINUX_CAPABILITY_U32S_1 1

/* V2 added in Linux 2.6.25; deprecated */

#define _LINUX_CAPABILITY_VERSION_2 0x20071026
```

```

#define _LINUX_CAPABILITY_U32S_2 2
    /* V3 added in Linux 2.6.26 */
#define _LINUX_CAPABILITY_VERSION_3 0x20080522
#define _LINUX_CAPABILITY_U32S_3 2
typedef struct __user_cap_header_struct {
    __u32 version;
    int pid;
} *cap_user_header_t;
typedef struct __user_cap_data_struct {
    __u32 effective;
    __u32 permitted;
    __u32 inheritable;
} *cap_user_data_t;

```

The effective, permitted, and inheritable fields are bit masks of the capabilities defined in capabilities(7). Note that the CAP_* values are bit indexes and need to be bit-shifted before ORing into the bit fields. To define the structures for passing to the system call, you have to use the struct __user_cap_header_struct and struct __user_cap_data_struct names because the typedefs are only pointers.

Kernels prior to 2.6.25 prefer 32-bit capabilities with version _LINUX_CAPABILITY_VERSION_1. Linux 2.6.25 added 64-bit capability sets, with version _LINUX_CAPABILITY_VERSION_2. There was, however, an API glitch, and Linux 2.6.26 added _LINUX_CAPABILITY_VERSION_3 to fix the problem.

Note that 64-bit capabilities use datap[0] and datap[1], whereas 32-bit capabilities use only datap[0].

On kernels that support file capabilities (VFS capabilities support), these system calls behave slightly differently. This support was added as an option in Linux 2.6.24, and became fixed (nonoptional) in Linux 2.6.33.

For capget() calls, one can probe the capabilities of any process by specifying its process ID with the hdrp->pid field value.

For details on the data, see capabilities(7).

With VFS capabilities support

VFS capabilities employ a file extended attribute (see xattr(7)) to allow capabilities to be attached to executables. This privilege model obsoletes kernel support

for one process asynchronously setting the capabilities of another. That is, on kernels that have VFS capabilities support, when calling `capset()`, the only permitted values for `hdrp->pid` are 0 or, equivalently, the value returned by `gettid(2)`.

Without VFS capabilities support

On older kernels that do not provide VFS capabilities support `capset()` can, if the caller has the `CAP_SETPCAP` capability, be used to change not only the caller's own capabilities, but also the capabilities of other threads. The call operates on the capabilities of the thread specified by the `pid` field of `hdrp` when that is nonzero, or on the capabilities of the calling thread if `pid` is 0. If `pid` refers to a single-threaded process, then `pid` can be specified as a traditional process ID; operating on a thread of a multithreaded process requires a thread ID of the type returned by `gettid(2)`. For `capset()`, `pid` can also be: -1, meaning perform the change on all threads except the caller and `init(1)`; or a value less than -1, in which case the change is applied to all members of the process group whose ID is `-pid`.

RETURN VALUE

On success, zero is returned. On error, -1 is returned, and `errno` is set appropriately.

The calls fail with the error `EINVAL`, and set the version field of `hdrp` to the kernel preferred value of `_LINUX_CAPABILITY_VERSION_?` when an unsupported version value is specified. In this way, one can probe what the current capability revision is.

ERRORS

EFAULT Bad memory address. `hdrp` must not be `NULL`. `datap` may be `NULL` only when the user is trying to determine the preferred capability version format supported by the kernel.

EINVAL One of the arguments was invalid.

EPERM An attempt was made to add a capability to the permitted set, or to set a capability in the effective set that is not in the permitted set.

EPERM An attempt was made to add a capability to the inheritable set, and either:

- * that capability was not in the caller's bounding set; or
- * the capability was not in the caller's permitted set and the caller lacked the `CAP_SETPCAP` capability in its effective set.

EPERM The caller attempted to use `capset()` to modify the capabilities of a thread

other than itself, but lacked sufficient privilege. For kernels supporting VFS capabilities, this is never permitted. For kernels lacking VFS support, the CAP_SETPCAP capability is required. (A bug in kernels before 2.6.11 meant that this error could also occur if a thread without this capability tried to change its own capabilities by specifying the pid field as a non-zero value (i.e., the value returned by getpid(2)) instead of 0.)

ESRCH No such thread.

CONFORMING TO

These system calls are Linux-specific.

NOTES

The portable interface to the capability querying and setting functions is provided by the libcap library and is available here:

?[http://git.kernel.org/cgit/linux/kernel/git/morgan/libcap.git?](http://git.kernel.org/cgit/linux/kernel/git/morgan/libcap.git)

SEE ALSO

clone(2), gettid(2), capabilities(7)

COLOPHON

This page is part of release 5.05 of the Linux man-pages project. A description of the project, information about reporting bugs, and the latest version of this page, can be found at <https://www.kernel.org/doc/man-pages/>.