



## Rocky Enterprise Linux 9.2 Manual Pages on command 'csqrtf.3'

C:~>man csqrtf.3

CSQRT(3)                   Linux Programmer's Manual                   CSQRT(3)

### NAME

csqrt, csqrtf, csqrtl - complex square root

### SYNOPSIS

```
#include <complex.h>
```

```
double complex csqrt(double complex z);
```

```
float complex csqrtf(float complex z);
```

```
long double complex csqrtl(long double complex z);
```

Link with -lm.

### DESCRIPTION

These functions calculate the complex square root of  $z$ , with a branch cut along the negative real axis. (That means that  $\text{csqrt}(-1+\text{eps}i)$  will be close to  $i$  while  $\text{csqrt}(-1-\text{eps}i)$  will be close to  $-i$ , if  $\text{eps}$  is a small positive real number.)

### VERSIONS

These functions first appeared in glibc in version 2.1.

### ATTRIBUTES

For an explanation of the terms used in this section, see attributes(7).

??

?Interface                   ? Attribute   ? Value   ?

??

?csqrt(), csqrtf(), csqrtl() ? Thread safety ? MT-Safe ?

??

## CONFORMING TO

C99, POSIX.1-2001, POSIX.1-2008.

## SEE ALSO

`cabs(3)`, `cexp(3)`, `complex(7)`

## COLOPHON

This page is part of release 5.05 of the Linux man-pages project. A description of the project, information about reporting bugs, and the latest version of this page, can be found at <https://www.kernel.org/doc/man-pages/>.

2017-09-15

CSQRT(3)