



Rocky Enterprise Linux 9.2 Manual Pages on command 'ctanhf.3'

C:~>man ctanhf.3

CTANH(3) Linux Programmer's Manual CTANH(3)

NAME

ctanh, ctanhf, ctanhf - complex hyperbolic tangent

SYNOPSIS

```
#include <complex.h>
```

```
double complex ctanh(double complex z);
```

```
float complex ctanhf(float complex z);
```

```
long double complex ctanhf(long double complex z);
```

Link with -lm.

DESCRIPTION

These functions calculate the complex hyperbolic tangent of z.

The complex hyperbolic tangent function is defined mathematically as:

$$\text{ctanh}(z) = \text{csinh}(z) / \text{ccosh}(z)$$

VERSIONS

These functions first appeared in glibc in version 2.1.

ATTRIBUTES

For an explanation of the terms used in this section, see attributes(7).

??

?Interface ? Attribute ? Value ?

??

?ctanh(), ctanhf(), ctanhf() ? Thread safety ? MT-Safe ?

??

CONFORMING TO

C99, POSIX.1-2001, POSIX.1-2008.

SEE ALSO

cabs(3), catanh(3), ccosh(3), csinh(3), complex(7)

COLOPHON

This page is part of release 5.05 of the Linux man-pages project. A description of the project, information about reporting bugs, and the latest version of this page, can be found at <https://www.kernel.org/doc/man-pages/>.

2017-09-15

CTANH(3)