



## ***Rocky Enterprise Linux 9.2 Manual Pages on command 'debugedit.8'***

**C:\>man debugedit.8**

DEBUGEDIT(8)                    System Manager's Manual                    DEBUGEDIT(8)

### NAME

debugedit - Debuginfo editing helper

### SYNOPSIS

debugedit [options] files...

### DESCRIPTION

This manual page documents briefly the debugedit command, which can be used to edit debuginfo section of object files (either binaries or separate debug info files).

It is useful for producing consistent information in binaries for debugging regard?  
less build location.

### OPTIONS

These programs follow the usual GNU command line syntax, with long options starting with two dashes ('-'). A summary of options is included below. For a complete de?  
scription, see the Info files.

-?, --help

Show summary of options.

-b, --base-dir=STRING

base build directory of objects

-d, --dest-dir=STRING

directory to rewrite base-dir into

-l, --list-file=STRING

file where to put list of source and header file names

-i, --build-id

recompute build ID note and print ID on stdout

## EXAMPLES

```
debugedit -b `pwd` -d /usr/lib/debug
```

Rewrites path compiled into binary from current directory to /usr/lib/debug.

## SEE ALSO

[rpm\(8\)](#)

Michal Cihar

10 September 2013

DEBUGEDIT(8)