



Rocky Enterprise Linux 9.2 Manual Pages on command 'dircolors.1'

C:\>man dircolors.1

DIRCOLORS(1) User Commands DIRCOLORS(1)

NAME

dircolors - color setup for ls

SYNOPSIS

dircolors [OPTION]... [FILE]

DESCRIPTION

Output commands to set the LS_COLORS environment variable.

Determine format of output:

-b, --sh, --bourne-shell

output Bourne shell code to set LS_COLORS

-c, --csh, --c-shell

output C shell code to set LS_COLORS

-p, --print-database

output defaults

--help display this help and exit

--version

output version information and exit

If FILE is specified, read it to determine which colors to use for which file types and extensions. Otherwise, a precompiled database is used. For details on the format of these files, run 'dircolors --print-database'.

AUTHOR

Written by H. Peter Anvin.

REPORTING BUGS

GNU coreutils online help: <<https://www.gnu.org/software/coreutils/>>

Report dircolors translation bugs to <<https://translationproject.org/team/>>

COPYRIGHT

Copyright © 2018 Free Software Foundation, Inc. License GPLv3+: GNU GPL version 3 or later <<https://gnu.org/licenses/gpl.html>>.

This is free software: you are free to change and redistribute it. There is NO WARRANTY, to the extent permitted by law.

SEE ALSO

Full documentation at: <<https://www.gnu.org/software/coreutils/dircolors>>

or available locally via: info '(coreutils) dircolors invocation'

GNU coreutils 8.30

September 2019

DIRCOLORS(1)