



Rocky Enterprise Linux 9.2 Manual Pages on command 'docker-context-update.1'

C:\>man docker-context-update.1

DOCKER(1) Docker User Manuals DOCKER(1)

NAME

docker-context-update - Update a context

SYNOPSIS

docker context update [OPTIONS] CONTEXT

DESCRIPTION

Update a context

Docker endpoint config:

NAME	DESCRIPTION	from	Copy	named context's Docker
endpoint configuration host	Trust certs signed only by this CA cert	key	validation	Docker endpoint on which to connect ca
	Path to TLS certificate file	Path to TLS key file	skip-tls-verify	Skip TLS certificate

Kubernetes endpoint config:

NAME	DESCRIPTION	from	Copy	named context's Kuber?
------	-------------	------	------	------------------------

netes endpoint configuration config-file Path to a Kubernetes config file
context-override Overrides the context set in the kubernetes config file name?
space-override Overrides the namespace set in the kubernetes config file

Example:

```
$ docker context update my-context --description "some description" --docker  
"host=tcp://myserver:2376,ca=~/.ca-file,cert=~/.cert-file,key=~/.key-file"
```

OPTIONS

--default-stack-orchestrator="" Default orchestrator for stack operations to
use with this context (swarm|kubernetes|all)

--description="" Description of the context

--docker=[] set the docker endpoint

-h, --help[=false] help for update

--kubernetes=[] set the kubernetes endpoint

SEE ALSO

docker-context(1)