



## ***Rocky Enterprise Linux 9.2 Manual Pages on command 'dpkg-distaddfile.1'***

**C:\>man dpkg-distaddfile.1**

dpkg-distaddfile(1)                    dpkg suite                    dpkg-distaddfile(1)

### NAME

dpkg-distaddfile - add entries to debian/files

### SYNOPSIS

dpkg-distaddfile [option...] filename section priority

### DESCRIPTION

dpkg-distaddfile adds an entry for a named file to debian/files.

It takes three non-option arguments, the filename and the section and priority for the .changes file.

The filename should be specified relative to the directory where dpkg-genchanges will expect to find the files, usually .., rather than being a pathname relative to the current directory when dpkg-distaddfile is run.

### OPTIONS

-ffiles-list-file

Read or write the list of files to be uploaded here, rather than using debian/files.

-?, --help

Show the usage message and exit.

--version

Show the version and exit.

## ENVIRONMENT

### DPKG\_COLORS

Sets the color mode (since dpkg 1.18.5). The currently accepted values are:  
auto (default), always and never.

### DPKG\_NLS

If set, it will be used to decide whether to activate Native Language Support, also known as internationalization (or i18n) support (since dpkg 1.19.0). The accepted values are: 0 and 1 (default).

## FILES

### debian/files

The list of generated files which are part of the upload being prepared.  
dpkg-distaddfile can be used to add additional files.

## SEE ALSO

deb-src-files(5).

1.19.7

2022-05-25

dpkg-distaddfile(1)