



## ***Rocky Enterprise Linux 9.2 Manual Pages on command 'floorl.3'***

**C:\>man floorl.3**

FLOOR(3)                      Linux Programmer's Manual                      FLOOR(3)

### NAME

floor, floorf, floorl - largest integral value not greater than argument

### SYNOPSIS

```
#include <math.h>
```

```
double floor(double x);
```

```
float floorf(float x);
```

```
long double floorl(long double x);
```

Link with -lm.

Feature Test Macro Requirements for glibc (see `feature_test_macros(7)`):

floorf(), floorl():

```
_ISOC99_SOURCE || _POSIX_C_SOURCE >= 200112L
```

```
|| /* Since glibc 2.19: */ _DEFAULT_SOURCE
```

```
|| /* Glibc versions <= 2.19: */ _BSD_SOURCE || _SVID_SOURCE
```

### DESCRIPTION

These functions return the largest integral value that is not greater than x.

For example, `floor(0.5)` is 0.0, and `floor(-0.5)` is -1.0.

### RETURN VALUE

These functions return the floor of x.

If x is integral, +0, -0, NaN, or an infinity, x itself is returned.

### ERRORS

No errors occur. POSIX.1-2001 documents a range error for overflows, but see

## NOTES.

## ATTRIBUTES

For an explanation of the terms used in this section, see attributes(7).

??

?Interface           ? Attribute   ? Value   ?

??

?floor(), floorf(), floorl() ? Thread safety ? MT-Safe ?

??

## CONFORMING TO

C99, POSIX.1-2001, POSIX.1-2008.

The variant returning double also conforms to SVr4, 4.3BSD, C89.

## NOTES

SUSv2 and POSIX.1-2001 contain text about overflow (which might set `errno` to `ERANGE`, or raise an `FE_OVERFLOW` exception). In practice, the result cannot overflow on any current machine, so this error-handling stuff is just nonsense. (More precisely, overflow can happen only when the maximum value of the exponent is smaller than the number of mantissa bits. For the IEEE-754 standard 32-bit and 64-bit floating-point numbers the maximum value of the exponent is 128 (respectively, 1024), and the number of mantissa bits is 24 (respectively, 53).)

## SEE ALSO

`ceil(3)`, `lrint(3)`, `nearbyint(3)`, `rint(3)`, `round(3)`, `trunc(3)`

## COLOPHON

This page is part of release 5.05 of the Linux man-pages project. A description of the project, information about reporting bugs, and the latest version of this page, can be found at <https://www.kernel.org/doc/man-pages/>.