



## ***Rocky Enterprise Linux 9.2 Manual Pages on command 'fold.1'***

**C:\>man fold.1**

FOLD(1) User Commands FOLD(1)

### NAME

fold - wrap each input line to fit in specified width

### SYNOPSIS

fold [OPTION]... [FILE]...

### DESCRIPTION

Wrap input lines in each FILE, writing to standard output.

With no FILE, or when FILE is -, read standard input.

Mandatory arguments to long options are mandatory for short options too.

-b, --bytes

count bytes rather than columns

-s, --spaces

break at spaces

-w, --width=WIDTH

use WIDTH columns instead of 80

--help display this help and exit

--version

output version information and exit

### AUTHOR

Written by David MacKenzie.

### REPORTING BUGS

GNU coreutils online help: <<https://www.gnu.org/software/coreutils/>>

Report fold translation bugs to <<https://translationproject.org/team/>>

## COPYRIGHT

Copyright ? 2018 Free Software Foundation, Inc. License GPLv3+: GNU GPL version 3 or later <<https://gnu.org/licenses/gpl.html>>.

This is free software: you are free to change and redistribute it. There is NO WARRANTY, to the extent permitted by law.

## SEE ALSO

Full documentation at: <<https://www.gnu.org/software/coreutils/fold>>  
or available locally via: info '(coreutils) fold invocation'

GNU coreutils 8.30

September 2019

FOLD(1)