



Rocky Enterprise Linux 9.2 Manual Pages on command 'getprotoent_r.3'

C:\>man getprotoent_r.3

GETPROTOENT_R(3) Linux Programmer's Manual GETPROTOENT_R(3)

NAME

getprotoent_r, getprotobyname_r, getprotobynumber_r - get protocol entry (reen? trant)

SYNOPSIS

```
#include <netdb.h>
```

```
int getprotoent_r(struct protoent *result_buf, char *buf,
                 size_t buflen, struct protoent **result);
```

```
int getprotobyname_r(const char *name,
                   struct protoent *result_buf, char *buf,
                   size_t buflen, struct protoent **result);
```

```
int getprotobynumber_r(int proto,
                      struct protoent *result_buf, char *buf,
                      size_t buflen, struct protoent **result);
```

Feature Test Macro Requirements for glibc (see feature_test_macros(7)):

getprotoent_r(), getprotobyname_r(), getprotobynumber_r():

Since glibc 2.19:

```
  _DEFAULT_SOURCE
```

Glibc 2.19 and earlier:

```
  _BSD_SOURCE || _SVID_SOURCE
```

DESCRIPTION

The getprotoent_r(), getprotobyname_r(), and getprotobynumber_r() functions are the

reentrant equivalents of, respectively, `getprotoent(3)`, `getprotobyname(3)`, and `getprotobynumber(3)`. They differ in the way that the protoent structure is returned, and in the function calling signature and return value. This manual page describes just the differences from the nonreentrant functions.

Instead of returning a pointer to a statically allocated protoent structure as the function result, these functions copy the structure into the location pointed to by `result_buf`.

The `buf` array is used to store the string fields pointed to by the returned protoent structure. (The nonreentrant functions allocate these strings in static storage.) The size of this array is specified in `buflen`. If `buf` is too small, the call fails with the error `ERANGE`, and the caller must try again with a larger `buf`. (A buffer of length 1024 bytes should be sufficient for most applications.)

If the function call successfully obtains a protocol record, then `*result` is set pointing to `result_buf`; otherwise, `*result` is set to `NULL`.

RETURN VALUE

On success, these functions return 0. On error, they return one of the positive error numbers listed in `ERRORS`.

On error, record not found (`getprotobyname_r()`, `getprotobynumber_r()`), or end of input (`getprotoent_r()`) result is set to `NULL`.

ERRORS

`ENOENT` (`getprotoent_r()`) No more records in database.

`ERANGE` `buf` is too small. Try again with a larger buffer (and increased `buflen`).

ATTRIBUTES

For an explanation of the terms used in this section, see `attributes(7)`.

??

?Interface	? Attribute	? Value	?
------------	-------------	---------	---

??

?`getprotoent_r()`, ? Thread safety ? MT-Safe locale ?

?`getprotobyname_r()`, ? ? ?

?`getprotobynumber_r()` ? ? ?

??

CONFORMING TO

These functions are GNU extensions. Functions with similar names exist on some

other systems, though typically with different calling signatures.

EXAMPLE

The program below uses `getprotobyname_r()` to retrieve the protocol record for the protocol named in its first command-line argument. If a second (integer) command-line argument is supplied, it is used as the initial value for `buflen`; if `getprotobyname_r()` fails with the error `ERANGE`, the program retries with larger buffer sizes. The following shell session shows a couple of sample runs:

```
$ ./a.out tcp 1
ERANGE! Retrying with larger buffer
getprotobyname_r() returned: 0 (success) (buflen=78)
p_name=tcp; p_proto=6; aliases=TCP
$ ./a.out xxx 1
ERANGE! Retrying with larger buffer
getprotobyname_r() returned: 0 (success) (buflen=100)
Call failed/record not found
```

Program source

```
#define _GNU_SOURCE
#include <ctype.h>
#include <netdb.h>
#include <stdlib.h>
#include <stdio.h>
#include <errno.h>
#include <string.h>
#define MAX_BUF 10000
int
main(int argc, char *argv[])
{
    int buflen, erange_cnt, s;
    struct protoent result_buf;
    struct protoent *result;
    char buf[MAX_BUF];
    char **p;
    if (argc < 2) {
```

```

printf("Usage: %s proto-name [buflen]\n", argv[0]);
exit(EXIT_FAILURE);
}
buflen = 1024;
if (argc > 2)
    buflen = atoi(argv[2]);
if (buflen > MAX_BUF) {
    printf("Exceeded buffer limit (%d)\n", MAX_BUF);
    exit(EXIT_FAILURE);
}
erange_cnt = 0;
do {
    s = getprotobyname_r(argv[1], &result_buf,
        buf, buflen, &result);
    if (s == ERANGE) {
        if (erange_cnt == 0)
            printf("ERANGE! Retrying with larger buffer\n");
        erange_cnt++;
        /* Increment a byte at a time so we can see exactly
           what size buffer was required */
        buflen++;
        if (buflen > MAX_BUF) {
            printf("Exceeded buffer limit (%d)\n", MAX_BUF);
            exit(EXIT_FAILURE);
        }
    }
} while (s == ERANGE);
printf("getprotobyname_r() returned: %s (buflen=%d)\n",
    (s == 0) ? "0 (success)" : (s == ENOENT) ? "ENOENT" :
    strerror(s), buflen);
if (s != 0 || result == NULL) {
    printf("Call failed/record not found\n");
    exit(EXIT_FAILURE);
}

```

```
}  
printf("p_name=%s; p_proto=%d; aliases=",  
      result_buf.p_name, result_buf.p_proto);  
for (p = result_buf.p_aliases; *p != NULL; p++)  
    printf("%s ", *p);  
printf("\n");  
exit(EXIT_SUCCESS);  
}
```

SEE ALSO

getprotoent(3), protocols(5)

COLOPHON

This page is part of release 5.05 of the Linux man-pages project. A description of the project, information about reporting bugs, and the latest version of this page, can be found at <https://www.kernel.org/doc/man-pages/>.

GNU

2019-03-06

GETPROTOENT_R(3)