



Rocky Enterprise Linux 9.2 Manual Pages on command 'git-var.1'

C:\>man git-var.1

GIT-VAR(1) Git Manual GIT-VAR(1)

NAME

git-var - Show a Git logical variable

SYNOPSIS

git var (-l | <variable>)

DESCRIPTION

Prints a Git logical variable.

OPTIONS

-l

Cause the logical variables to be listed. In addition, all the variables of the Git configuration file `.git/config` are listed as well. (However, the configuration variables listing functionality is deprecated in favor of `git config -l`.)

EXAMPLES

```
$ git var GIT_AUTHOR_IDENT
```

```
Eric W. Biederman <ebiederm@Inxi.com> 1121223278 -0600
```

VARIABLES

GIT_AUTHOR_IDENT

The author of a piece of code.

GIT_COMMITTER_IDENT

The person who put a piece of code into Git.

GIT_EDITOR

Text editor for use by Git commands. The value is meant to be interpreted by the shell when it is used. Examples: `~/bin/vi`, `$SOME_ENVIRONMENT_VARIABLE`, `"C:\Program Files\Vim\gvim.exe" --nofork`. The order of preference is the `$GIT_EDITOR` environment variable, then `core.editor` configuration, then `$VISUAL`, then `$EDITOR`, and then the default chosen at compile time, which is usually `vi`.

The build you are using chose editor as the default.

GIT_PAGER

Text viewer for use by Git commands (e.g., `less`). The value is meant to be interpreted by the shell. The order of preference is the `$GIT_PAGER` environment variable, then `core.pager` configuration, then `$PAGER`, and then the default chosen at compile time (usually `less`). The build you are using chose pager as the default.

SEE ALSO

`git-commit-tree(1)` `git-tag(1)` `git-config(1)`

GIT

Part of the `git(1)` suite

Git 2.25.1

02/08/2023

GIT-VAR(1)