



Rocky Enterprise Linux 9.2 Manual Pages on command 'gtk-query-immodules-3.0.1'

C:\>man gtk-query-immodules-3.0.1

GTK-QUERY-IMMODULE(1) User Commands GTK-QUERY-IMMODULE(1)

NAME

gtk-query-immodules-3.0 - Input method module registration utility

SYNOPSIS

gtk-query-immodules-3.0 [--update-cache] [MODULE...]

DESCRIPTION

gtk-query-immodules-3.0 collects information about loadable input method modules for GTK+ and writes it to the default cache file location, or to stdout.

If called without arguments, it looks for modules in the GTK+ input method module path.

If called with arguments, it looks for the specified modules. The arguments may be absolute or relative paths.

Normally, the output of gtk-query-immodules-3.0 is written to libdir/gtk-3.0/3.0.0/immodules.cache, where GTK+ looks for it by default. If it is written to some other location, the GTK_IM_MODULE_FILE environment variable can be set to point GTK+ at the file.

OPTIONS

--update-cache

Write the output to the default cache location instead of stdout

FILES

libdir/gtk-3.0/3.0.0/immodules.cache

The default im cache file used by GTK+ applications

ENVIRONMENT

GTK_PATH

Prepends directories to the input method module path

GTK_IM_MODULE_FILE

Specifies an alternative im module cache for GTK+ applications

GTK+ GTK-QUERY-IMMODULE(1)