



## ***Rocky Enterprise Linux 9.2 Manual Pages on command 'init-d-script.5'***

**C:\>man init-d-script.5**

INIT-D-SCRIPT(5)            BSD File Formats Manual            INIT-D-SCRIPT(5)

### NAME

init-d-script ? interpreter for short and simple init.d scripts

### DESCRIPTION

Generic init.d script framework to reduce the redundant code in /etc/init.d/. The goal is to create an init.d script that is Debian and LSB compliant. When the Debian policy conflicts with the LSB, the Debian policy takes precedence.

This is a simple example on how init-d-script can be used to start and stop a daemon with PID file support:

```
#!/usr/bin/env /lib/init/init-d-script

### BEGIN INIT INFO
# Provides:      atd
# Required-Start:  $syslog $time $remote_fs
# Required-Stop:  $syslog $time $remote_fs
# Default-Start:  2 3 4 5
# Default-Stop:   0 1 6
# Short-Description: run at jobs
# Description:    Debian init script to start the daemon
```

```
#           running at jobs.  
### END INIT INFO  
DAEMON=/usr/sbin/atd
```

The following variables affect behaviour of an init script:

**DAEMON** Path to daemon being started. If the init script is not supposed to start any kind of daemon, the functions `do_start_override()`, `do_stop_override()` and `do_status_override()` should be defined instead.

**DAEMON\_ARGS** Additional arguments, passed to daemon during start.

**NAME** Additional environment variables are sources from `/etc/default/${NAME}`.  
If unset, this variable defaults to the basename of the `?DAEMON?` value.

**COMMAND\_NAME**

If this variable is set, it is used as argument to the `--name` option of `start-stop-daemon(8)`. It may be useful if the value of the `NAME` variable is too long.

**PIDFILE** Path to file where the process identifier of the started daemon will be stored during start. If the value is verbatim `?none?`, the process identifier will not be stored in any file. If this variable is not set, it gets a sensible default value, so it is rarely necessary to set this variable explicitly.

Additionally, it is possible to change the behaviour of the resulting shell script by overriding some of the internal functions. To do so, define function with an `_override` suffix. So, for example, to override the `do_status()` function, one should define a `do_status_override()` function. The exception to this rule is the `do_reload()` function, whose override should be defined as-is, without the above-mentioned suffix.

Here is a control flow chart that explains what functions are called and when:

```
/etc/init.d/script start
```

```
do_start
```

```
do_start_prepare # no-op
```

```
do_start_cmd # start-stop-daemon is called here
```

```
do_start_cleanup # no-op
```

```
/etc/init.d/script stop
```

```
do_stop
```

```
do_stop_prepare # no-op
```

```
do_stop_cmd # start-stop-daemon is called here
```

```
do_stop_cleanup # no-op
```

```
/etc/init.d/script status
```

```
do_status
```

```
/etc/init.d/script reload
```

```
do_reload
```

```
do_usage
```

```
exit 3
```

```
/etc/init.d/script force-reload
```

```
do_force_reload
```

```
do_reload # if overridden
```

```
do_restart
```

```
do_restart_prepare
```

```
do_stop_cmd
```

```
do_start_cmd
```

```
do_restart_cleanup
```

```
/etc/init.d/script restart
```

```
do_force_restart
```

```
/etc/init.d/script try-restart

if do_status; then
    do_restart
    do_restart_prepare
    do_stop_cmd # start-stop-daemon is called here
    do_start_cmd # start-stop-daemon is called here
    do_restart_cleanup
```

```
/etc/init.d/script <arg>

do_unknown <arg>

exit 3
```

```
/etc/init.d/script

do_usage
```

As can be seen, by default, the script does not support the reload action; it should be implemented by the script writer by defining a `do_reload()` function.

If the daemon performs reload action upon receiving a SIGUSR1 signal, a generic implementation can be used with the following code:

```
alias do_reload=do_reload_sigusr1
```

## SEE ALSO

`inittab(8)`, `service(8)`, `update-rc.d(8)`.

## AUTHORS

Petter Reinholdtsen <pere@debian.org>