



Rocky Enterprise Linux 9.2 Manual Pages on command 'isupper_1.3'

C:\>man isupper_1.3

ISALPHA(3) Linux Programmer's Manual ISALPHA(3)

NAME

isalnum, isalpha, isascii, isblank, iscntrl, isdigit, isgraph, islower, isprint, ispunct, isspace, isupper, isxdigit, isalnum_l, isalpha_l, isascii_l, isblank_l, iscntrl_l, isdigit_l, isgraph_l, islower_l, isprint_l, ispunct_l, isspace_l, isupper_l, isxdigit_l - character classification functions

SYNOPSIS

```
#include <ctype.h>

int isalnum(int c);
int isalpha(int c);
int iscntrl(int c);
int isdigit(int c);
int isgraph(int c);
int islower(int c);
int isprint(int c);
int ispunct(int c);
int isspace(int c);
int isupper(int c);
int isxdigit(int c);
int isascii(int c);
int isblank(int c);
int isalnum_l(int c, locale_t locale);
```

```
int isalpha_(int c, locale_t locale);
int isblank_(int c, locale_t locale);
int iscntrl_(int c, locale_t locale);
int isdigit_(int c, locale_t locale);
int isgraph_(int c, locale_t locale);
int islower_(int c, locale_t locale);
int isprint_(int c, locale_t locale);
int ispunct_(int c, locale_t locale);
int isspace_(int c, locale_t locale);
int isupper_(int c, locale_t locale);
int isxdigit_(int c, locale_t locale);
int isascii_(int c, locale_t locale);
```

Feature Test Macro Requirements for glibc (see `feature_test_macros(7)`):

`isascii()`:

```
_XOPEN_SOURCE
|| /* Glibc since 2.19: */ _DEFAULT_SOURCE
|| /* Glibc versions <= 2.19: */ _SVID_SOURCE
```

`isblank()`:

```
_ISOC99_SOURCE || _POSIX_C_SOURCE >= 200112L
```

`isalnum_()`, `isalpha_()`, `isblank_()`, `iscntrl_()`, `isdigit_()`, `isgraph_()`, `is?`

`lower_()`, `isprint_()`, `ispunct_()`, `isspace_()`, `isupper_()`, `isxdigit_()`:

Since glibc 2.10:

```
_XOPEN_SOURCE >= 700
```

Before glibc 2.10:

```
_GNU_SOURCE
```

`isascii_()`:

Since glibc 2.10:

```
_XOPEN_SOURCE >= 700 && (_SVID_SOURCE || _BSD_SOURCE)
```

Before glibc 2.10:

```
_GNU_SOURCE
```

DESCRIPTION

These functions check whether `c`, which must have the value of an unsigned char or EOF, falls into a certain character class according to the specified locale. The

functions without the "_l" suffix perform the check based on the current locale.

The functions with the "_l" suffix perform the check based on the locale specified by the locale object locale. The behavior of these functions is undefined if locale is the special locale object LC_GLOBAL_LOCALE (see duplocale(3)) or is not a valid locale object handle.

The list below explains the operation of the functions without the "_l" suffix; the functions with the "_l" suffix differ only in using the locale object locale instead of the current locale.

isalnum()

checks for an alphanumeric character; it is equivalent to (isalpha(c) || isdigit(c)).

isalpha()

checks for an alphabetic character; in the standard "C" locale, it is equivalent to (isupper(c) || islower(c)). In some locales, there may be additional characters for which isalpha() is true? letters which are neither uppercase nor lowercase.

isascii()

checks whether c is a 7-bit unsigned char value that fits into the ASCII character set.

isblank()

checks for a blank character; that is, a space or a tab.

isctrnl()

checks for a control character.

isdigit()

checks for a digit (0 through 9).

isgraph()

checks for any printable character except space.

islower()

checks for a lowercase character.

isprint()

checks for any printable character including space.

ispunct()

checks for any printable character which is not a space or an alphanumeric

character.

isspace()

checks for white-space characters. In the "C" and "POSIX" locales, these are: space, form-feed ('\f'), newline ('\n'), carriage return ('\r'), horizontal tab ('\t'), and vertical tab ('\v').

isupper()

checks for an uppercase letter.

isxdigit()

checks for hexadecimal digits, that is, one of
0 1 2 3 4 5 6 7 8 9 a b c d e f A B C D E F.

RETURN VALUE

The values returned are nonzero if the character c falls into the tested class, and zero if not.

VERSIONS

isalnum_l(), isalpha_l(), isblank_l(), iscntrl_l(), isdigit_l(), isgraph_l(), islower_l(), isprint_l(), ispunct_l(), isspace_l(), isupper_l(), isxdigit_l(), and isascii_l() are available since glibc 2.3.

ATTRIBUTES

For an explanation of the terms used in this section, see attributes(7).

????????????????????????????????????????????????????????????????

?Interface ? Attribute ? Value ?

????????????????????????????????????????????????????????????????

?isalnum(), isalpha(), isascii(), ? Thread safety ? MT-Safe ?

?isblank(), iscntrl(), isdigit(), ? ? ?

?isgraph(), islower(), isprint(), ? ? ?

?ispunct(), isspace(), isupper(), ? ? ?

?isxdigit() ? ? ?

????????????????????????????????????????????????????????????????

CONFORMING TO

C89 specifies isalnum(), isalpha(), iscntrl(), isdigit(), isgraph(), islower(), isprint(), ispunct(), isspace(), isupper(), and isxdigit(), but not isascii() and isblank(). POSIX.1-2001 also specifies those functions, and also isascii() (as an XSI extension) and isblank(). C99 specifies all of the preceding functions, except

isascii().

POSIX.1-2008 marks isascii() as obsolete, noting that it cannot be used portably in a localized application.

POSIX.1-2008 specifies isalnum_l(), isalpha_l(), isblank_l(), iscntrl_l(), isdigit_l(), isgraph_l(), islower_l(), isprint_l(), ispunct_l(), isspace_l(), isupper_l(), and isxdigit_l().

isascii_l() is a GNU extension.

NOTES

The standards require that the argument `c` for these functions is either `EOF` or a value that is representable in the type `unsigned char`. If the argument `c` is of type `char`, it must be cast to `unsigned char`, as in the following example:

```
char c;
...
res = toupper((unsigned char) c);
```

This is necessary because `char` may be the equivalent of signed `char`, in which case a byte where the top bit is set would be sign extended when converting to `int`, yielding a value that is outside the range of `unsigned char`.

The details of what characters belong to which class depend on the locale. For example, `isupper()` will not recognize an A-umlaut (ä) as an uppercase letter in the default C locale.

SEE ALSO

iswalnum(3), iswalph(3), iswblank(3), iswcntrl(3), iswdigit(3), iswgraph(3), iswlower(3), iswprint(3), iswpunct(3), iswspace(3), iswupper(3), iswxdigit(3), newlocale(3), setlocale(3), toascii(3), tolower(3), toupper(3),uselocale(3), ascii(7), locale(7)

COLOPHON

This page is part of release 5.05 of the Linux man-pages project. A description of the project, information about reporting bugs, and the latest version of this page, can be found at <https://www.kernel.org/doc/man-pages/>.