



## ***Rocky Enterprise Linux 9.2 Manual Pages on command 'lock.2'***

**C:\>man lock.2**

UNIMPLEMENTED(2)                      Linux Programmer's Manual                      UNIMPLEMENTED(2)

### NAME

afs\_syscall, break, fattach, fdetach, ftime, getmsg, getpmsg, gtty, isastream,  
lock, madvise1, mpx, prof, profil, putmsg, putpmsg, security, stty, tuxcall,  
ulimit, vserver - unimplemented system calls

### SYNOPSIS

Unimplemented system calls.

### DESCRIPTION

These system calls are not implemented in the Linux kernel.

### RETURN VALUE

These system calls always return -1 and set errno to ENOSYS.

### NOTES

Note that ftime(3), profil(3), and ulimit(3) are implemented as library functions.

Some system calls, like alloc\_hugepages(2), free\_hugepages(2), ioperm(2), iopl(2),  
and vm86(2) exist only on certain architectures.

Some system calls, like ipc(2), create\_module(2), init\_module(2), and delete\_mod?  
ule(2) exist only when the Linux kernel was built with support for them.

### SEE ALSO

syscalls(2)

### COLOPHON

This page is part of release 5.05 of the Linux man-pages project. A description of  
the project, information about reporting bugs, and the latest version of this page,

can be found at <https://www.kernel.org/doc/man-pages/>.

Linux

2017-09-15

UNIMPLEMENTED(2)