



Rocky Enterprise Linux 9.2 Manual Pages on command 'lvs.8'

C:\>man lvs.8

LVS(8) System Manager's Manual LVS(8)

NAME

lvs - Display information about logical volumes

SYNOPSIS

```
lvs
  [ option_args ]
  [ position_args ]
```

DESCRIPTION

lvs produces formatted output about LVs.

USAGE

```
lvs
  [-H|--history ]
  [-a|--all ]
  [-o|--options String ]
  [-S|--select String ]
  [-O|--sort String ]
  [ --segments ]
  [ --aligned ]
  [ --binary ]
  [ --configreport log|vg|lv|pv|pvseg|seg ]
  [ --foreign ]
  [ --ignorelockingfailure ]
```

- [--logonly]
- [--nameprefixes]
- [--noheadings]
- [--nosuffix]
- [--readonly]
- [--reportformat basic|json]
- [--rows]
- [--separator String]
- [--shared]
- [--unbuffered]
- [--units r|R|h|H|b|B|s|S|k|K|m|M|g|G|t|T|p|P|e|E]
- [--unquoted]
- [COMMON_OPTIONS]
- [VG|LV|Tag ...]

Common options for lvm:

- [-d|--debug]
- [-h|--help]
- [-q|--quiet]
- [-t|--test]
- [-v|--verbose]
- [-y|--yes]
- [--commandprofile String]
- [--config String]
- [--driverloaded y|n]
- [--lockopt String]
- [--longhelp]
- [--nolocking]
- [--profile String]
- [--version]

OPTIONS

--aligned

Use with --separator to align the output columns

-a|--all

Show information about internal LVs. These are components of normal LVs, such as mirrors, which are not independently accessible, e.g. not mountable.

`--binary`

Use binary values "0" or "1" instead of descriptive literal values for columns that have exactly two valid values to report (not counting the "unknown" value which denotes that the value could not be determined).

`--commandprofile` String

The command profile to use for command configuration. See `lvm.conf(5)` for more information about profiles.

`--config` String

Config settings for the command. These override `lvm.conf` settings. The String arg uses the same format as `lvm.conf`, or may use section/field syntax. See `lvm.conf(5)` for more information about config.

`--configreport` log|vg|lv|pv|pvseg|seg

See `lvmreport(7)`.

`-d|--debug` ...

Set debug level. Repeat from 1 to 6 times to increase the detail of messages sent to the log file and/or syslog (if configured).

`--driverloaded` y|n

If set to no, the command will not attempt to use device-mapper. For testing and debugging.

`--foreign`

Report/display foreign VGs that would otherwise be skipped. See `lvmsystemid(7)` for more information about foreign VGs.

`-h|--help`

Display help text.

`-H|--history`

Include historical LVs in the output. (This has no effect unless LVs were removed while `lvm.conf metadata/record_lvs_history` was enabled.

`--ignorelockingfailure`

Allows a command to continue with read-only metadata operations after locking failures.

`--lockopt` String

Used to pass options for special cases to `lvmlockd`. See `lvmlockd(8)` for more information.

`--logonly`

Suppress command report and display only log report.

`--longhelp`

Display long help text.

`--nameprefixes`

Add an "LVM2_" prefix plus the field name to the output. Useful with `--no?` headings to produce a list of field=value pairs that can be used to set environment variables (for example, in udev rules).

`--noheadings`

Suppress the headings line that is normally the first line of output. Useful if grepping the output.

`--nolocking`

Disable locking.

`--nosuffix`

Suppress the suffix on output sizes. Use with `--units` (except h and H) if processing the output.

`-o|--options` String

Comma-separated, ordered list of fields to display in columns. String argument syntax is: `[+|-|#]Field1[,Field2 ...]` The prefix `+` will append the specified fields to the default fields, `-` will remove the specified fields from the default fields, and `#` will compact specified fields (removing them when empty for all rows.) Use `-o help` to view the list of all available fields. Use separate lists of fields to add, remove or compact by repeating the `-o` option: `-o+field1,field2 -o-field3,field4 -o#field5`. These lists are evaluated from left to right. Use field name `lv_all` to view all LV fields, `vg_all` all VG fields, `pv_all` all PV fields, `pvseg_all` all PV segment fields, `seg_all` all LV segment fields, and `pvseg_all` all PV segment columns. See the `lvm.conf` report section for more config options. See `lvmreport(7)` for more information about reporting.

`--profile` String

An alias for `--commandprofile` or `--metadataprofile`, depending on the com?

mand.

`-q|--quiet ...`

Suppress output and log messages. Overrides `--debug` and `--verbose`. Repeat once to also suppress any prompts with answer 'no'.

`--readonly`

Run the command in a special read-only mode which will read on-disk metadata without needing to take any locks. This can be used to peek inside metadata used by a virtual machine image while the virtual machine is running. No attempt will be made to communicate with the device-mapper kernel driver, so this option is unable to report whether or not LVs are actually in use.

`--reportformat basic|json`

Overrides current output format for reports which is defined globally by the `report/output_format` setting in `lvm.conf`. `basic` is the original format with columns and rows. If there is more than one report per command, each report is prefixed with the report name for identification. `json` produces report output in JSON format. See `lvmreport(7)` for more information.

`--rows`

Output columns as rows.

`--segments`

Use default columns that emphasize segment information.

`-S|--select String`

Select objects for processing and reporting based on specified criteria. The criteria syntax is described by `--select help` and `lvmreport(7)`. For reporting commands, one row is displayed for each object matching the criteria. See `--options help` for selectable object fields. Rows can be displayed with an additional "selected" field (`-o selected`) showing 1 if the row matches the selection and 0 otherwise. For non-reporting commands which process LVM entities, the selection is used to choose items to process.

`--separator String`

String to use to separate each column. Useful if grepping the output.

`--shared`

Report/display shared VGs that would otherwise be skipped when `lvmlockd` is not being used on the host. See `lvmlockd(8)` for more information about

shared VGs.

`-O|--sort String`

Comma-separated ordered list of columns to sort by. Replaces the default selection. Precede any column with - for a reverse sort on that column.

`-t|--test`

Run in test mode. Commands will not update metadata. This is implemented by disabling all metadata writing but nevertheless returning success to the calling function. This may lead to unusual error messages in multi-stage operations if a tool relies on reading back metadata it believes has changed but hasn't.

`--unbuffered`

Produce output immediately without sorting or aligning the columns properly.

`--units r|R|h|H|b|B|s|S|k|K|m|M|g|G|t|T|p|P|e|E`

All sizes are output in these units: human-(r)eadable with '<' rounding indicator, (h)uman-readable, (b)ytes, (s)ectors, (k)ilobytes, (m)egabytes, (g)igabytes, (t)erabytes, (p)etabytes, (e)xabytes. Capitalise to use multiples of 1000 (S.I.) instead of 1024. Custom units can be specified, e.g.

`--units 3M.`

`--unquoted`

When used with `--nameprefixes`, output values in the field=value pairs are not quoted.

`-v|--verbose ...`

Set verbose level. Repeat from 1 to 4 times to increase the detail of messages sent to stdout and stderr.

`--version`

Display version information.

`-y|--yes`

Do not prompt for confirmation interactively but always assume the answer yes. Use with extreme caution. (For automatic no, see `-qq.`)

VARIABLES

VG

Volume Group name. See `lvm(8)` for valid names.

LV

Logical Volume name. See `lvm(8)` for valid names. An LV positional argument generally includes the VG name and LV name, e.g. VG/LV.

Tag

Tag name. See `lvm(8)` for information about tag names and using tags in place of a VG, LV or PV.

String

See the option description for information about the string content.

Size[UNIT]

Size is an input number that accepts an optional unit. Input units are always treated as base two values, regardless of capitalization, e.g. 'k' and 'K' both refer to 1024. The default input unit is specified by letter, followed by |UNIT. UNIT represents other possible input units: b|B is bytes, s|S is sectors of 512 bytes, k|K is kilobytes, m|M is megabytes, g|G is gigabytes, t|T is terabytes, p|P is petabytes, e|E is exabytes. (This should not be confused with the output control `--units`, where capital letters mean multiple of 1000.)

ENVIRONMENT VARIABLES

See `lvm(8)` for information about environment variables used by `lvm`. For example, `LVM_VG_NAME` can generally be substituted for a required VG parameter.

NOTES

The `lv_attr` bits are:

- 1 Volume type: (C)ache, (m)irrored, (M)irrored without initial sync, (o)rigin, (O)rigin with merging snapshot, (r)aid, (R)aid without initial sync, (s)napshot, merging (S)napshot, (p)vmove, (v)irtual, mirror or raid (i)mage, mirror or raid (l)mage out-of-sync, mirror (l)og device, under (c)onversion, thin (V)olume, (t)hin pool, (T)hin pool data, v(d)o pool, v(D)o pool data, raid or pool m(e)tadata or pool metadata spare.
- 2 Permissions: (w)riteable, (r)ead-only, (R)ead-only activation of non-read-only volume
- 3 Allocation policy: (a)nywhere, (c)ontiguous, (i)nherited, c(l)ing, (n)ormal
This is capitalised if the volume is currently locked against allocation changes, for example during `pvmove(8)`.
- 4 fixed (m)inor

5 State: (a)ctive, (h)istorical, (s)uspended, (l)invalid snapshot, (S)us?

pended snapshot, snapshot (m)erge failed, suspended snapshot (M)erge failed, mapped (d)evice present without tables, mapped device present with (i)nactive table, thin-pool (c)heck needed, suspended thin-pool (C)heck needed, (X) unknown

6 device (o)pen, (X) unknown

7 Target type: (C)ache, (m)irror, (r)aid, (s)napshot, (t)hin, (u)nknown, (v)ir?

tual. This groups logical volumes related to the same kernel target together.

So, for example, mirror images, mirror logs as well as mirrors themselves appear as (m) if they use the original device-mapper mirror kernel driver; whereas the raid equivalents using the md raid kernel driver all appear as (r). Snapshots using the original device-mapper driver appear as (s); whereas snapshots of thin volumes using the new thin provisioning driver appear as (t).

8 Newly-allocated data blocks are overwritten with blocks of (z)eroes before use.

9 Volume Health, where there are currently three groups of attributes identified:

Common ones for all Logical Volumes: (p)artial, (X) unknown.

(p)artial signifies that one or more of the Physical Volumes this Logical Volume uses is missing from the system. (X) unknown signifies the status is unknown.

Related to RAID Logical Volumes: (r)efresh needed, (m)ismatches exist, (w)rite? mostly.

(r)efresh signifies that one or more of the Physical Volumes this RAID Logical Volume uses had suffered a write error. The write error could be due to a temporary failure of that Physical Volume or an indication that it is failing. The device should be refreshed or replaced. (m)ismatches signifies that the RAID logical volume has portions of the array that are not coherent. Inconsistencies are detected by initiating a "check" on a RAID logical volume. (The scrubbing operations, "check" and "repair", can be performed on a RAID logical volume via the 'lvchange' command.) (w)ritemostly signifies the devices in a RAID 1 logical volume that have been marked write-mostly. Re(s)haping signifies a RAID Logical Volume is either undergoing a stripe addition/removal, a stripe size or RAID algorithm change. (R)emove after reshape signifies freed striped raid images to be removed.

Related to Thin pool Logical Volumes: (F)ailed, out of (D)ata space, (M)etadata read only.

(F)ailed is set if thin pool encounters serious failures and hence no further I/O is permitted at all. The out of (D)ata space is set if thin pool has run out of data space. (M)etadata read only signifies that thin pool encounters certain types of failures but it's still possible to do reads at least, but no metadata changes are allowed.

Related to Thin Logical Volumes: (F)ailed.

(F)ailed is set when related thin pool enters Failed state and no further I/O is permitted at all.

10 s(k)ip activation: this volume is flagged to be skipped during activation.

SEE ALSO

lvm(8) lvm.conf(5) lvmconfig(8)

pvchange(8) pvck(8) pvcreate(8) pvdisplay(8) pvmove(8) pvremove(8) pvresize(8)

pvs(8) pvscan(8)

vgcfgbackup(8) vgcfgrestore(8) vgchange(8) vgck(8) vgcreate(8) vgconvert(8) vgdis?

play(8) vgexport(8) vgextend(8) vgimport(8) vgimportclone(8) vgmerge(8) vgmkn?

odes(8) vgreduce(8) vgremove(8) vgrename(8) vgs(8) vgscan(8) vgsplit(8)

lvcreate(8) lvchange(8) lvconvert(8) lvdisplay(8) lvextend(8) lvreduce(8) lvre?

move(8) lvrename(8) lvresize(8) lvs(8) lvscan(8)

lvm-fullreport(8) lvm-lvpoll(8) lvm2-activation-generator(8) blkdeactivate(8) lvm?

dump(8)

dmeventd(8) lvmpoll(8) lvmlockd(8) lvmlockctl(8) cmirrord(8) lvmdbusd(8)

lvmsystemid(7) lvmreport(7) lvmraid(7) lvmthin(7) lvmcache(7)

Red Hat, Inc.

LVM TOOLS 2.03.07(2) (2019-11-30)

LVS(8)