



Rocky Enterprise Linux 9.2 Manual Pages on command 'memccpy.3'

C:\>man memccpy.3

MEMCCPY(3) Linux Programmer's Manual MEMCCPY(3)

NAME

memccpy - copy memory area

SYNOPSIS

```
#include <string.h>
```

```
void *memccpy(void *dest, const void *src, int c, size_t n);
```

DESCRIPTION

The memccpy() function copies no more than n bytes from memory area src to memory area dest, stopping when the character c is found.

If the memory areas overlap, the results are undefined.

RETURN VALUE

The memccpy() function returns a pointer to the next character in dest after c, or NULL if c was not found in the first n characters of src.

ATTRIBUTES

For an explanation of the terms used in this section, see attributes(7).

??

?Interface ? Attribute ? Value ?

??

?memccpy() ? Thread safety ? MT-Safe ?

??

CONFORMING TO

POSIX.1-2001, POSIX.1-2008, SVr4, 4.3BSD.

SEE ALSO

`bcopy(3)`, `bstring(3)`, `memcpy(3)`, `memmove(3)`, `strcpy(3)`, `strncpy(3)`

COLOPHON

This page is part of release 5.05 of the Linux man-pages project. A description of the project, information about reporting bugs, and the latest version of this page, can be found at <https://www.kernel.org/doc/man-pages/>.

GNU

2017-09-15

MEMCCPY(3)