



## ***Rocky Enterprise Linux 9.2 Manual Pages on command 'mkfifo.1'***

**C:\>man mkfifo.1**

MKFIFO(1) User Commands MKFIFO(1)

### NAME

mkfifo - make FIFOs (named pipes)

### SYNOPSIS

mkfifo [OPTION]... NAME...

### DESCRIPTION

Create named pipes (FIFOs) with the given NAMES.

Mandatory arguments to long options are mandatory for short options too.

**-m, --mode=MODE**

set file permission bits to MODE, not a=rw - umask

**-Z** set the SELinux security context to default type

**--context[=CTX]**

like **-Z**, or if CTX is specified then set the SELinux or SMACK security con?

text to CTX

**--help** display this help and exit

**--version**

output version information and exit

### AUTHOR

Written by David MacKenzie.

### REPORTING BUGS

GNU coreutils online help: <<https://www.gnu.org/software/coreutils/>>

Report mkfifo translation bugs to <<https://translationproject.org/team/>>

## COPYRIGHT

Copyright © 2018 Free Software Foundation, Inc. License GPLv3+: GNU GPL version 3 or later <<https://gnu.org/licenses/gpl.html>>.

This is free software: you are free to change and redistribute it. There is NO WARRANTY, to the extent permitted by law.

## SEE ALSO

mkfifo(3)

Full documentation at: <<https://www.gnu.org/software/coreutils/mkfifo>>

or available locally via: info '(coreutils) mkfifo invocation'

GNU coreutils 8.30

September 2019

MKFIFO(1)